
MASTER YOUR EDGING





MASTER YOUR EDGING



DECADES OF BUILDING TRUST IN FINISHING

Essilor Instruments has been a pioneer in the finishing industry, serving Eye Care Professionals (ECPs) since 1954.

With decades of expertise in edging and mounting, enriched by its lens and frames proficiency, Essilor Instruments is committed to cutting-edge research and innovation, making it a credible and steadfast brand in the industry.

Essilor Instruments sets the benchmark in finishing performance, quality, and service to ECPs globally through its extensive worldwide network of technical experts.¹

ES™ 700

A compact and user-friendly in-store finishing system, composed of the ES[™] 700 edger and TCB[™] 800, Automatic Tracer-Centerer-Blocker (TCB). It is the perfect solution to reach precision with ease.

ES[™]700m

A hybrid version, ES[™] 700M, with dual technology that combines milling and grinding, is capable of securing hydrophobic or delicate lenses, reducing the smell for Mid and High Index materials (MHI), and diminishing lens swarf, as well as water consumption.

It incorporates Essilor Instrument's state-of-the art technologies², allowing for swift and accurate edging of all mountings including demanding eyewear.

1-EssilorLuxottica Universal Registration Document of 2022. 2-More details in continuation.

REACH SWIFT ACCURACY FOR ALL MOUNTINGS INCLUDING DEMANDING¹ EYEWEAR

1 PERFECT TRACING & CENTERING

Automatic centering and blocking for precise & accurate centering results, including for wrap-around frames for a correct fit. Independent of lens marking and operator skills, TCBTM 800 automatically harmonizes frame base trajectory & adjusts centering data based on 3D parameters of the frame.

Includes an **optical center blocking mode**, useful in preventing de-axing for high-minus or prismatic lenses, and **a pad positioner** that helps operators to correctly position the pad on the edging block.

2 FIT 4 FRAME 2.0 TECHNOLOGY²

Nails down the ideal fit of the lens without any compromise on aesthetics for all mountings and finishes. Produces a diverse array of bevels. Accommodates various groove profiles, including both front and back Step bevels. Shape modification, available in 8 different points of the shape perimeter for an exceptionally meticulous customization.



3 FULL HIGH CURVE TECHNOLOGY²

Avoid risks of breakage up to base 10 for wrap-around frames with a self-adjusting process combining a roughing cycle that automatically adapts to the curves of lenses. Optimize bevel placement & shelf depth for safe mounting without undue lens stress.



-20%

Centering & blocking time is reduced by up to 20%.

-75%

Optical tracing time is reduced by up to **75%** including drilling hole detection.

-19%

Edging time is reduced by up to **19%** through the implementation of the **Fast-Roughing Cycle** (FRC).

1-Demanding Eyewear requires specific parameters such as high base curves and specific bevel profiles. 2-Essilor Instruments gives its utmost importance to develop innovation and protect such innovation with the appropriate patent filing. 3-Internal PQV study performed in 2023-The improvements are demonstrated in a comparison between ES[™] 700 and Mr Orange finishing systems, for rimmed frame without chamfering or polishing.


ENTER A NEW ERA OF USER-FRIENDLY AND INTUITIVE EDGING


1 PERSONALIZED INTERACTION


Customized user experience for each operator through saved preferred settings using user profile. Quick access to frequently used jobs via bookmarked favorites.

2 EASY TO PLAY INFERFACE

Intuitive interface for simplified operations. Delegable workflows for all operators with varying levels of expertise.







3 ELEGANT & COMPACT DESIGN

Sleek modern silhouette with **high-quality materials.** Convenient top right display with **10-inch multi-touch screen.** Enjoyable navigation experience with **3D views** that showcase every details.







ES™ 700

WITH REAL TIME CONTROL OF CUTTING FORCES. THE ROUGHING CYCLE AUTOMA-TICALLY ADAPTS TO THE CURVES OF LENSES UP TO BASE 10.

Giving better prowess and avoiding risks of breakage. The bevel placement and shelf depth are optimized for safe mounting without undue stress on lens.



ES™ 700 M

RAISE YOUR GAME WITH ABSOLUTE AXIS CONTROL¹ WITH ES[™] 700m. THANKS TO ITS HYBRID MILLING & GRINDING TECHNOLOGY²

DUAL-EDGING TECHNOLOGY

Secures edging for very slippery hydrophobic or delicate lenses. **Prevents axis deviation risks** and cuts all lenses with a perfectly controlled result.

ECO-FRIENDLY DRY CUT TECHNOLOGY³

Reduce wet lens waste and unwanted odors with dry cut technology.



1-Essilor Instruments gives its utmost importance to develop innovation and protect such innovation with the appropriate patent filing 2-Milling is available on ES[™] 700M. 3-Internal analysis on water consumption performed in 2023 compared to Mr Blue[™] 2.0.

MASTER YOUR EDGING FEATURES

	ES [™] 700 combined with TCB [™] 800	ES™700M combined with TCB [™] 800
MYOPIA Myopia Fit Automatic & Manual centering	٠	•
Advanced optical tracing mode for highly complex lens zones and automatic drilling hole detection	۲	٠
🛃 FULL High Curve™: 3D Binocular mechanical tracing	•	•
Fit 4 Frame Technology 2.0: Aesthetic and robust mountings in all finishes	٠	•
Automatic Centering & Blocking with automatic adjustment of the centering data based on the 3-D parameters of the frame	۲	۲
Hydrophobic lens Management	Via Roughing	Via Milling
Fast Roughing Cycle (FRC)	٠	•
Remote maintenance and software and library update including Embedded OMA shapes	٠	٠
Front side USB stick slot to integrate OMA shapes in local library	•	•
Job management	•	•

FINISHINGS FEATURES

🕤 🚫 🌍 🔇 👌 🅥 Bevel /Flat /Polish / Chamfering	•	•
🕝 🌏 🍪 Grooving & Drilling Tilt up to 30°	•	•
🔗 🔗 🔗 🖉 Mixed Finishing	•	•
High Curve bevel up to wrap 30° base 10	•	•
Shelf or asymmetric bevel with ajustable height	•	•
Mini-bevel	•	•
Step bevel	up to 3 mm depth	up to 3.5 mm depth
Back step bevel & Inclined back step bevel	•	•

OTHER FEATURES

Screen Size TCB and position	12" / 16:9 — Multitouch Tiltable Top vertical heads up display
Screen Size Edger and position	10" / 16:9 — Multitouch Top right display
Dimensions Edger HxWxD (mm) and Weight (kg)	H : 497 — W : 585 — D : 518 — 63kg
Dimensions TCB (Tracer-centerer-blocker) HxWxD (mm) and weight (kg)	H: 597 — W: 306 — D: 515 — 25,9 kg
Power consumption & Power supply voltage TCB (Tracer-centerer-blocker)	250W — 240 - 110 V ~ 60/50 Hz 5-3 A
Power consumption & Power supply voltage Edge	1350W - 220 - 240 V ~ 60/50 Hz 10 A 2000W - 100 - 120 V ~ 60/50 Hz 12 A



C€ Made in France. Please read the user manual attentively ES™ 700, ES™ 800, TCB™ 800, Mr Blue 2.0°, Mr Orange°, M'Eye Sign™, M'Eye Shape™, M'Eye Clip™, M'Eye Diamond™, M'Eye Custom™ are trademarks of Essilor International.

ESSILOR INTERNATIONAL

147 rue de Paris, 94220 Charenton-le-Pont - France Tél.: +33 (0)1 49 80 62 80 www.essilor-instruments.com

