All equipments for your practice.



m'eye eStore catalog 2026

ESSILOR INSTRUMENTS



Medical

Diagnostics Intruments **6**
Opthalmoscopes 6
Rétinoscope 7
Tonometers 8
Portable slit lamp 9
Fundus lenses 9

Refraction Testing **10**
Trial frames 10
Trial cases and lenses 12
Testing tools 14
Eye charts 16

Fitting Measurement **18**
Pupilometer 18
Ditest & Measurement 19

Vision Therapy **20**
Press-on prisms 20
Press-on aspherical 20
Ryser occlusion foils 21
Ortopad 21

Hygiene & Cleaning **22**



Edging Essentials

Edger's Consummables **26**
Edging pads & blocks 26
Block holders & plates 28
Dressing Wheels 29
Small Tools 30
Storage 32
Accessories 33

m'eye Clip **34**
Clip-on components 35
Kit 36
Accessories 37

Filtration **38**

Cleaning **39**



Workshop

Equipement **42**
Lens analysers 42
Hand edgers 43
Lens groovers 45
Polishing 46
Frame heaters 48
Ultrasonic cleaners 50
Disinfection 51
Stacking tools 52
Drilling 54

Tools **55**
Tweezers 55
Adjustement pliers 56
All purpose pliers 58
Pliers for rimless 59
Special pliers 60
Cutting pliers 62
Plier grips 63
Drills and millers 64
Screw taps 65
Hands Files & Reamers 66
Manual tools 68
Measuring tools 70
Set of screwdrivers & nutdrivers 72
Nutdrivers 73
Screwdrivers 74
Third hand 75

Frame Parts **76**
Nose pads & pads arms 76
Acetate temple ends 82
Silicone non slip temple ends 83
Spectacle cords 83
Screws 84
Doubles sleeves 87
Nuts & dome nuts 88
Rivets 89
Washers 89
Nylon threads & mounting tool 90

Organisation **92**
Job tray 92
Tool stand 93
Storage box 94
Glue and silicone 95
Tracing and marking 96
Cleaning 97



Appendix

Spare trial lenses
for ESS260 & ESS167 100
for ESS026 101

Supports for Applanation Tonometers 102

Accessories for edger 104

Accessories for tinting 105

Wheels 106



1

Medical

Precise and reliable diagnostic and optometric instruments designed to support accurate vision testing every day.

Specialist Ophtalmoscope 3.6V



- Wide diopter range: +44D to -45D lens range for optimal diagnosis in any situation.
- Auxiliary lens wheel for +/-10D, +/-15D and +/-30D step changes.
- Graticule and Filter Control: wide angle, intermediate, macular, slit, red free fixation cross, Cobalt blue (examination of corneal scars and abrasions in conjunction with flourescein dye).
- Pupilometer function: 1 to 8 mm.
- Included: handle, lithium battery, case, 1 spare bulb.

Ref: **OPH700**

Replacement Bulb



Specialist Ophthalmoscope Bulb 3.6V (Pack of 2)

Ref: **OPH70001**

Professional Ophtalmoscope 3.6V



- Comprehensive lens range : +29D to -30D in single diopter steps
- Auxiliary lens wheel for +/-20D quick step changes.
- Graticule and Filter Control : wide angle, intermediate, macular, slit, fixation cross, glaucoma, red free.
- Soft Brow Rest allows for easy positioning and protects glasses.
- Included: handle, lithium battery, case, 1 spare bulb.

Ref: **OPH500**

Replacement Bulb



Professional Ophthalmoscope Bulb 3.6V (Pack of 2)

Ref: **OPH50001**

Streak Retinoscope LED 3.6V



- Two position aperture: 4 mm or 1.7 mm to optimize brightness or resolution of the retinal reflex.
- Express confirmation of neutralization.
- Possibility to change the beam from divergent to convergent.
- Led illumination offers high contrast, image quality and longer battery life.
- Included: handle, lithium battery, case, 1 spare bulb.

Ref: **RET500**

Replacement Bulb



Ref: **RET50001**

Retinoscopy Ruler Set

2 rulers (convex + and concave -) with 16 lenses each, from 0.50 to 15.00 D



Ref: **MAG199**

Kit Ophthalmoscope Retinoscope with Charger



- **OPH 500**
- **RET 500**
- **PSU 500**

Ref: **OPHRET5**

Premium Kit Ophthalmoscope Retinoscope with Charger



- **OPH 700**
- **RET 500**
- **PSU 500**

Ref: **OPHRET7**

Accessories for OPH500, OPH700 and RET500

Lithium double charger



Ref.: **PSU500**

Mini battery charger



Ref.: **PSU400**

3.6V lithium battery



Ref.: **PSU50004**

Digital Applanation Tonometer Fixed R-Type

- Operates on the Goldman applanation principle for accurate measurement of intraocular pressure (IOP).
- Fixed R-Type model designed for installation on most tower-type slit lamps.
- LED display providing readings with a resolution of 0.1 mmHg.



Ref: **DAT500R**

Digital Applanation Tonometer Z-Type

- Operates on the Goldman applanation principle for accurate measurement of intraocular pressure (IOP).
- Adapted to a wide variety of Z-style lower illumination slit lamps.
- LED display providing readings with a resolution of 0.1 mmHg.



Ref: **DAT500Z**

The appendix contains references for Essilor slit lamps, supports and tonometers compatibility.

Single Use Tonometer Prism / 100 Pcs



Ref: **DAT50010**

Digital Applanation Tonometer 'Take-Away' (T)

- Operates on the Goldman applanation principle for accurate measurement of intraocular pressure (IOP).
- Removable and convenient to use on multiple slit lamps.
- Fitted to the guide plate on the optical axis for the microscope and illumination unit arm.
- LED display providing readings with a resolution of 0.1 mmHg.



Ref: **DAT500T**

PSL Classic Portable Slit Lamp

- x10 & x16 magnifications.
- Advanced optics.
- Continuously variable halogen illumination.
- Aluminium chassis.
- Weight: 900 g (SL), 300 g (docking station).
- Dimensions: 238 x 116 x 210 mm (slit lamp), 205 x 138 x 40 mm (docking station).
- Docking station included.

Accessories

- Replacement Lithium Batterie: **Ref. PSL50005**



Ref: **PSL500**

Replacement Lithium Batterie for PSL Classic Portable Slit Lamp



Ref: **PSL50005**

Fundus Lenses Volk 90D Lens

- General diagnosis & small pupil examinations.
- Field of view: 74°/89°
- Laser spot magnification: 1.32x
- Image magnification: 0.76x
- Working distance: 7 mm



Ref: **VKL900**

Fundus Lenses Volk 78D Lens Double Aspheric

- Field of view: 81°/97°
- Laser spot magnification: 1.08x
- Image magnification: 0.93x
- Working distance: 8mm
- Provides great balance of magnification and field of view



Ref: **DGNS0780**

Essilor UB4 Universal Trial Frame



- Accommodates up to 10 trial lenses (38 mm diameter).
- Adjustable nose bridge and temples (length and angle).
- Closed-frame temples design prevents hair entanglement.
- Easy to handle with flexible, smooth turning dials.
- Optional: pair of polarized filters for distance and near vision examinations.
- Spare Nose Pad for Trial Frame UB4 (x3 pcs) **Ref: ESS30490**

Ref: **ESS304**

Pair of Polarized Filter - Linear



Ref: **ESS305**

Universal Trial Frame

- Accommodates up to 10 trial lenses (38 mm diameter).
- Adjustable nose bridge and temples (length and angle).
- Simple to adjust and comfortable ear rests.
- Extra nose pad included.



Ref: **ESS205**

Half-Eye Trial Frame for Children

- Accommodates up to 6 trial lenses (38 mm diameter).
- Adjustable PD - 54 to 58 mm.
- Adjustable temple length and nose rest.



Ref: **ESS211**

	ESS304	ESS205	ESS211
Target audience	Adults	Adults	Children
Ergonomic design	●	●	●
Adjustable nose height and temples	●	●	●
Max number of lenses Front Back	up to 10 3 2	up to 10 3 2	up to 6 3
Lens diameter	38 mm	38 mm	38 mm
Pupillary Distance (PD) adjustment range	46 - 80 mm	50-80 mm	54 - 58 mm
Temple (arm) length	88 - 124 mm	110 - 140 mm	94 - 129 mm
Temple tilt (up/down)	14.5° / 8°	15° / 15°	
Rotary area (front)	360°	360°	0-180°
Axis rotation increments	5°	5°	5°
VD measurement range	3-14 mm	0-13 mm	
Net weight	64 g	55 g	55 g

Full Trial Lens Case 260 lenses

- Aperture trial lens: 22 mm
- Spherical Lenses: ± 0.25 to ± 20D
- Cylindrical Lenses: ± 0.25 to 6D
- Prismatic Lenses: 0.5 to 10D
- Accessories: cross, Maddox, cross cylinders, occluders, red/green filters, plano lenses, stenopeic hole.
- Dim. tray: W440 x D320 x H45 mm
- Complete box: W470 x D350 x H100 mm
- Spare empty case **Ref: ESS261**



Ref: **ESS260**

Full Trial Lens Case Metal Rims - 260 lenses

- Extended aperture trial lens: 36 mm
- Spherical lenses: ± 0.25 to ± 20D
- Cylindrical lenses: ± 0.25 to 6D
- Prismatic lenses: 0.5 to 10D
- Accessories: cross, Maddox, cross cylinders, occluders, red/green filters, plano lenses, stenopeic hole.
- Dim. tray: W440 x D320 x H45 mm
- Complete box: W470 x D350 x H100 mm



Ref: **ESS026**

Standard Trial Lens Case - 167 lenses



- Aperture trial lens: 22 mm
- Spherical lenses: ± 0.25 to ± 20D
- Cylindrical lenses: ± 0.25 to ± 6D
- Prismatic lenses: 1 to 5D
- Accessories: occluder, cross cylinder, slits, red/green filters, stenopeic hole.
- Dimension tray: W440 x D265 x H45 mm
- Complete box: W465 x D300x H100 mm
- Weight: 3.8 kg

Ref: **ESS167**

The appendix contains references for individual trial lenses

Composition of Trial Case 260 lenses (ESS260 & ESS026)


Concave Sph (-)				Concave Sph (+)				Cyl (-)		Cyl (+)		Prism		Accessories	
List	Pcs	List	Pcs	List	Pcs	List	Pcs	List	Pcs	List	Pcs	List	Pcs	Specification	Pcs
0.25	2	5.25	2	0.25	2	5.25	2	0.25	2	0.25	2	0.50	2	Occluder	1
0.50	2	5.50	2	0.50	2	5.50	2	0.50	2	0.50	2	1.00	2	Pin hole (PH1.5)	1
0.75	2	5.75	2	0.75	2	5.75	2	0.75	2	0.75	2	2.00	2	Pin hole (PH1.0)	1
1.00	2	6.00	2	1.00	2	6.00	2	1.00	2	1.00	2	3.00	2	Slit (SS1.0)	1
1.25	2	6.50	2	1.25	2	6.50	2	1.25	2	1.25	2	4.00	2	Red filter lens	1
1.50	2	7.00	2	1.50	2	7.00	2	1.50	2	1.50	2	5.00	1	Green filter lens	1
1.75	2	7.50	2	1.75	2	7.50	2	1.75	2	1.75	2	6.00	1	White Maddox	1
2.00	2	8.00	2	2.00	2	8.00	2	2.00	2	2.00	2	8.00	1	Plane lens	1
2.25	2	8.50	2	2.25	2	8.50	2	2.25	2	2.25	2	10.00	1	Frosted lens	1
2.50	2	9.00	2	2.50	2	9.00	2	2.50	2	2.50	2			Crossed line	1
2.75	2	9.50	2	2.75	2	9.50	2	2.75	2	2.75	2				
3.00	2	10.00	2	3.00	2	10.00	2	3.00	2	3.00	2			Cross Cylinder 0.25	1
3.25	2	11.00	2	3.25	2	11.00	2	3.25	2	3.25	2				
3.50	2	12.00	2	3.50	2	12.00	2	3.50	2	3.50	2				
3.75	2	13.00	2	3.75	2	13.00	2	3.75	2	3.75	2				
4.00	2	14.00	2	4.00	2	14.00	2	4.00	2	4.00	2				
4.25	2	16.00	2	4.25	2	16.00	2	4.50	2	4.50	2				
4.50	2	18.00	2	4.50	2	18.00	2	5.00	2	5.00	2				
4.75	2	20.00	2	4.75	2	20.00	2	5.50	2	5.50	2				
5.00	2			5.00	2			6.00	2	6.00	2				
Total: 78				Total: 78				Total: 40		Total: 40		Total: 14		Total: 10	

Composition of Trial Case 167 lenses (ESS167)

Concave Sph (-)				Concave Sph (+)				Cyl (-)		Cyl (+)		Prism		Accessories	
List	Pcs	List	Pcs	List	Pcs	List	Pcs	List	Pcs	List	Pcs	List	Pcs	Specification	Pcs
0.25	2	3.50	2	0.25	2	3.50	2	0.25	2	0.25	2	1.00	1	Occluder	1
0.50	2	3.75	2	0.50	2	3.75	2	0.50	2	0.50	2	2.00	1	Pin hole	1
0.75	2	4.00	2	0.75	2	4.00	2	0.75	2	0.75	2	3.00	1	Slit (SS1.0)	1
1.00	2	4.50	2	1.00	2	4.50	2	1.00	2	1.00	2	4.00	1	Red filter lens	1
1.25	2	5.00	2	1.25	2	5.00	2	1.25	2	1.25	2	5.00	1	Green filter lens	1
1.50	2	6.00	2	1.50	2	6.00	2	1.50	2	1.50	2				
1.75	2	7.00	2	1.75	2	7.00	2	1.75	2	1.75	2			Cross Cylinder 0.25	1
2.00	2	8.00	2	2.00	2	8.00	2	2.00	2	2.00	2				
2.25	2	9.00	2	2.25	2	9.00	2	2.50	2	2.50	2				
2.50	2	10.00	2	2.50	2	10.00	2	3.00	2	3.00	2				
2.75	2	12.00	2	2.75	2	12.00	2	3.50	2	3.50	2				
3.00	2	16.00	2	3.00	2	16.00	2	4.00	2	4.00	2				
3.25	2	20.00	2	3.25	2	20.00	2	6.00	2	6.00	2				
Total: 52				Total: 52				Total: 26		Total: 26		Total: 5		Total: 6	

Original Ishihara Colour Test

- The Original Ishihara Test from Dr Shinobu Ishihara.
- For detecting Red-Green Colour deficiencies.



MAG301 (14 plates)

MAG302 (24 plates)

MAG303 (38 plates)

Essilor Stereotest

Stereo depth perception test featuring Essilor's exclusive "Reindeer" fly design popular with children, including polarized glasses and a results reading chart.



Ref: **MAG200**

Binocular Confirmation Flipper Test



DGNS0180 (+/- 0.25 D)

DGNS0181 (+/- 0.50 D)

Cross Cylinder



DGNS0175 (+/- 0.25 & 0.50 D)

DGNS0275 (+/- 0.75 & 1 D)

Red/Green Lens



Ref.: **DGNS0176**

Mawas Ruler



Ref.: **MAG081**

Red Green Test Ruler



Ref.: **MAG340**

Black Occluder



Ref.: **DGNS0179**

Red Filter Translucent Occluder



Ref.: **DGNS0178**

White Translucent Occluder

Ref.: **DGNS0177**

Led Penlight (pack of 6)



Ref.: **MAG190**

Touch Screen Penlight Essilor



Ref.: **MAG120**

Touch Screen Penlight VISION-R



Ref.: **MAG182**

Monoyer Chart



- Reading distance: 5 m
- W240 x H580 mm

Ref.: **DGNS0190**

Parinaud
French Reading Chart (P8-P16)



Ref.: **ECH205**

Parinaud
French Reading Chart (P2-P6)



Ref.: **ECH203**

Double Sided Parinaud
Hand-Held Chart (P2-P16)



Ref: **ECH204**

Parinaud
Hand-Held Chart (P2-P6)



Ref: **ECH201**

Original Essilor Digital CRP Pupilometer



- Corneal reflection pupilometer for precise PD measurements.
- Monocular and binocular PD measurements for all distances between 35 cm and infinity.
- In case of abnormal patient's binocular vision, monocular PD can be measured.
- Digital display of monocular and binocular PDs from 48 to 77 mm (step: 0.5 mm)
- Automatic standby.
- Dim.: W160 x D250 x H60 mm
- Weight: 0.7 kg
- Powered by two 1.5 V AA batteries (not included).

Ref: **X81705**

Varilux Dispensing Kit

3 essential tools for pal fittings:
- 1 MHP100
- 1 Ditest
- 1 Pupilometer



Ref: **VDK001**

Replacement Nose Pads (pair) for Pupilometer



Ref: **C16S01**

Pupillary Distance Ruler

- Compatible right / left hand



Ref.: **DGNS0120**

Ditest



- Allow quick calculation of the minimum uncut lens diameter.
- Without lens chart.

Ref: **N73700**

Measurement Height Pupilometer

- Measure according to boxing mode.
- Easy to Install on the frame.
- Dimensions: W198 x D75 x H18 mm.



Ref: **MHP100**

MHP retrofit kit

- Accessories for MHP100



Ref: **MHPS50**

Fresnel Press-On Prisms

- For temporary or adaptive correction of ocular alignment disorders (e.g. strabismus, diplopia).
- Applied to the back surface of one or both lenses of the patient's eyeglasses.



Diopter	by Single	by Pair
1 D	**PSO010**	**MAG020**
2 D	**PSO020**	**MAG021**
3 D	**PSO030**	**MAG022**
4 D	**PSO040**	**MAG023**
5 D	**PSO050**	**MAG024**
6 D	**PSO060**	**MAG025**
7 D	**PSO070**	**MAG026**
8 D	**PSO080**	**MAG027**
9 D	**PSO090**	**MAG028**
10 D	**PSO100**	**MAG029**
12 D	**PSO120**	**MAG030**
15 D	**PSO150**	**MAG031**
20 D	**PSO200**	**MAG032**
25 D	**PSO250**	**MAG033**
30 D	**PSO300**	**MAG034**
35 D	**PSO350**	**MAG035**
40 D	**PSO400**	**MAG040**

Soft Aspherical Lenses



+1D: **AP0100**
+1.5D: **AP0150**
+2D: **AP0200**
+2.5D: **AP0250**
+3D: **AP0300**
+3.5D: **AP0350**
+4D: **AP0400**
+5D: **AP0500**

Press-On Easy Fix

- Press-On Easy Fix, a tool for easy installation of temporary filters.
- Semi-flexible 6.5-base surface for easy application.
- Better adhesion of the Press-On to the lens.
- Graduated scale for easy orientation.



Ref: **PSOS1000**

Ryser Occlusion Foils

- Very thin and transparent plastic film of 55 mm.
- For treatment and therapy of amblyopia for children and adults.



Visual acuity	Pack of 4	Per Unit
10/10	**MAG001**	**RYS001**
8/10	**MAG002**	**RYS002**
6/10	**MAG003**	**RYS003**
4/10	**MAG004**	**RYS004**
3/10	**MAG005**	**RYS005**
2/10	**MAG009**	**RYS009**
1/10	**MAG006**	**RYS006**
< 1/10	**MAG007**	**RYS007**
Total occlusion	**MAG008**	**RYS008**

Ortopad
Adult 80 x 59 mm

- Pack of 20



Ref: **OPTI03**

Ortopad
Junior 60 x 50 mm

- Pack of 20



Ref: **OPTI04**

PROSAT Cleaning & Disinfecting Wipes - 30 Pcs



Ref.: **NET021**

Lens Cleaning Swab 100 Pcs



Ref.: **CA9063**

Chin Rest Paper 100 Pcs - W130 x H35 mm



Ref: **AKL200**

Chin Rest Paper for AKR300 100 Pcs - W130 x H40 mm



Ref: **AKR304**

Protection Shield Vision Breath Shield



Ref: **LUN500**

Protection Shield for Pupillometer & for Vision-R 800



Ref: **V01910**

Print Paper Roll



- ALM 500/700/800
- VISION-R 700/800
- AKR 500/550/750/800
- WAM 800
- CLE060 & CLE070

Ref.: **CD8020**

2

Edging Essentials

Enhance the efficiency and quality of your lens edging with consumables engineered for compatibility with Essilor machines and lenses.

Pads & Blocks: which Essilor edger are you using?

	Ø 18 mm		Ø 18x14 mm		Ø 22 mm		Ø 25 mm (use pads 24 mm)	
	Blocks	Pads	Blocks	Pads	Blocks	Pads	Blocks	Pads
	GAM203	GAM301 GAM306 CY3131	GAM216 GAM218 GAM238 GAM239	GAM316 GAM317	GAM233 GAM232 GAM222	GAM403 GAM404	GAM202	GAM200 CY3132
ES PRO 800 ES PRO 700 ES 800 ES 700			o	o	o	o		
Delta V2 100, 200, 300 Neksia V2 400, 500, 600			o	o	o	o		
PRO-E 700 PRO-E 600 Mr Blue Mr Orange			o	o	o	o		
Delta 100, 200, 300 Neksia 400, 500, 600			o	o	o	o		
Delta Gamma Kappa	o	o	o	o			o	o

Lens Protection Pads Surface Saver Discs Ø 30 mm – 1000 Pads


- Adhesive: Acrylic
- Backing: Blue polyethylene film
- Thickness: 1 mm
- Protect the reverse of the lens from possible damage by the chuck during the edging.



Ref: **TRRS0155**

Anti-Slip Discs - 100 Pcs

- Dimensions: L40 x H25 mm
- Prevents hydrophobic lens slippage during edging.
- Apply between the lens and the adhesive pad.



Ref: **GAM051**

Anti-Slip Discs - 1000 Pcs

- Dimensions: L40 x H26 mm
- Prevents hydrophobic lens slippage during edging.
- Apply between the lens and the adhesive pad.



Ref: **EDGS0453**

Edging Pads Essilor Leap III - Ø 18 mm



Pack of 200: **GAM301**

Pack of 1000: **GAM306**

Edging Pads Essilor Leap III - Ø 18x14 mm



Pack of 200: **GAM317**

Pack of 1000: **GAM316**

Edging Pads Essilor Leap III - Ø 22 mm



Pack of 200: **GAM404**

Pack of 1000: **GAM403**

Edging Pads Leap III - Ø 18 mm



Pack of 1000: **CY3131**

Edging Pads Essilor Leap III - Ø 24 mm



Pack of 1000: **GAM200**

Edging Pads Leap III - Ø 24 mm



Pack of 2000: **CY3132**

Edging Pads Leap III - Ø 17x12 mm



Pack of 1000: **CY3135**

Edging Pads Leap III - Ø 18x28 mm




Pack of 1000: **CY3133**

Edging Pads Leap III - Ø 26 mm



Pack of 1000: **CY3130**

Edging Blocks
Ø 18 mm - 10 Pcs



GAM203

Edging Blocks
Ø 18x14 mm - 10 Pcs



GAM216

Edging Blocks
Ø 18x14 mm - 20 Pcs



GAM218

Edging Blocks
Ø 18x14 mm - 10 Pcs



GAM238

Edging Blocks
Ø 18x14 mm - 10 Pcs



GAM239

Edging Blocks
Ø 22 mm - 10 Pcs



GAM233

Edging Blocks
Ø 22 mm - 10 Pcs



GAM232

Edging Blocks
Ø 22 mm - 20 Pcs



GAM222

Edging Blocks
Ø 25 mm - 20 Pcs



GAM202


Block Holder: which Essilor edger are you using?

	Ø 18 mm	Ø 18x14 mm	Ø 18x14 mm	Ø 22 mm	Ø 25 mm
Block Holder					
	M1590L	M1590D	M24A15	M24A16	M1590C
ES PRO 800 ES PRO 700 ES 800 ES 700			o	o	
Delta V2 100, 200, 300 Neksia V2 400, 500, 600			o	o	
PRO-E 700 PRO-E 600 Mr Blue Mr Orange			o	o	
Delta 100, 200, 300 Neksia 400, 500, 600	o	o			o
Delta Gamma Kappa	o	o			o

Plate: which Essilor edger are you using?

	Ø 18 mm	Ø 18x14 mm	Ø 18x14 mm	Ø 22 mm	Ø 25 mm
Clip On					
	M10A10		M10A17	M24A12	M10A09
Flexible Stop					
	N9582B	M1012A	M1017A	M24A33 (x10)	N9581D
ES 700 ES 800 ES PRO 700 ES PRO 800			o	o	
Delta V2 100, 200, 300 Neksia V2 400, 500, 600			o	o	
Mr Blue Mr Orange PRO-E 600 PRO-E 700			o	o	
Delta 100, 200, 300 Neksia 400, 500, 600	o	o			o
Delta Gamma Kappa	o	o			o

Dressing Wheels: which Essilor edger are you using?

	Polishing			Finishing			Roughing Mineral	
								
	Ø 15 mm	Ø 22 mm	Ø 15 mm	Ø 19 mm	Ø 22 mm	Ø 22 mm	Ø 15 mm	Ø 22 mm
	CX5049	CX5050	CX5054	CX5051	CX5024	CX5059	CX5052	CX5026
ES PRO 800			o			o		o
ES PRO 700			o	o				o
ES 800 ES 700			o	o			o	
Delta V2 100, 200, 300 Neksia V2 400, 500, 600			o	o			o	
PRO-E 700			o			o		o
PRO-E 600			o	o				o
Mr Blue Mr Orange			o	o			o	
Delta 100, 200, 300 Neksia 400, 500, 600			o	o			o	
Delta Gamma Kappa	o	o			o		o	

EssiPolish Wheel Cleaning Kit
All edgers except Delta, Gamma, Kappa



Ref: **PCX001**

Cleaning Stick for Wheel CX3028 15 mm



Ref.: **CX5032**

Small Tools: which Essilor edger are you using?

	Chamfering					
						
	Plastic	Tri material	Plastic	Plastic	Tri material	Tri material
	CX3815	CX3818	CX3822S	CX3823	CX3826	CX3827
ES PRO 800M ES PRO 700M					⊙	
ES 800M					⊙	
ES 700M					⊙	
ES 800 ES 700				⊙		⊙
Delta V2 100, 200, 300 Neksia V2 400, 500, 600	⊙*	⊙*				
PRO-E 700 PRO-E 600					⊙	
Mr Blue			⊙		⊙	
Mr Orange				⊙		⊙
Delta 100, 200, 300 Neksia 400, 500, 600	⊙*	⊙*				
Delta Gamma Kappa	⊙*	⊙*				

*Depending on the version.

	Grooving				Asymmetrical Bevel		Step Bevel		
									
	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	Step bevel ++
	CX3820	CX3824	CX3812	FRA404	CX3821	CX3825	CX3831	CX3835	CX3834
ES PRO 800M ES PRO 700M				⊙	⊙		⊙		⊙
ES 800M	⊙				⊙				⊙
ES 700M	⊙				⊙		⊙		
ES 800 ES 700		⊙				⊙		⊙	
Delta V2 100, 200, 300 Neksia V2 400, 500, 600			⊙*						
PRO-E 700 PRO-E 600				⊙					⊙
Mr Blue	⊙				⊙		⊙**		⊙***
Mr Orange		⊙				⊙			
Delta 100, 200, 300 Neksia 400, 500, 600			⊙*						
Delta Gamma Kappa			⊙*						

*Depending on the version. **Only 2.0 edition. ***Only Sun and Sport edition.

Drilling & Milling: which Essilor edger are you using?

	Drill Bit					Milling	
							
	Ø 1.0 mm	Ø 1.0 mm	Ø 1.0 mm	Ø 0.8 mm	Ø 0.8 mm		
	M1554A	FRA405	FRA310	M1553A	FRA308	FRA312	FRA401
ES PRO 800M ES PRO 700M		⊙			⊙		⊙
ES 800M			⊙		⊙	⊙	
ES 700M			⊙		⊙	⊙	
ES 800 ES 700			⊙		⊙		
Delta V2 100, 200, 300 Neksia V2 400, 500, 600	⊙*			⊙*			
PRO-E 700 PRO-E 600		⊙			⊙		⊙
Mr Blue			⊙		⊙	⊙	
Mr Orange			⊙		⊙	⊙	
Delta 100, 200, 300 Neksia 400, 500, 600	⊙*			⊙*			
Delta Gamma Kappa	⊙*			⊙*			

*Depending on the version.



ES Tower

This compact module sits next to the edger and keeps the workshop tidy. It has a holder for a roll of edging pads, separate compartments to sort the edging blocks, and a versatile bin to keep all important accessories within easy reach.

- Dim.: W200 x D290 x H: 480 mm
- Weight: 6.5 kg

Ref: **PENS0002**

Bar Code Reader

Delta V1, Neksia V1, Mr Orange, Mr Blue, PRO-E 600/700, Kappa, Gamma



DOUA24

Bar Code Reader

ES 700/800, Neksia V2, TCB 500/800, Delta V2, ES PRO 700/800



DOUA26

Set of Labels

	Ref.
Set of labels with barcode to 200	**X95A02**
Set of labels from 201 to 400	**X95A03**
Set of labels from 401 to 600	**X95A04**
Set of labels from 601 to 800	**X95A05**
Set of labels from 801 to 1000	**X95A06**



Complete Barcode Option with Scanner

- x2 barcode reader (DOUA24)
- Full set of labels (X95A02, X95A03, X95A04, X95A05, X95A06)
- Only for Delta V1, Neksia V1, Mr Orange, Mr Blue, PRO-E 600/700, Kappa, Gamma



Ref: **L14A00**

Orma Plano Lens



Ref: **X83A15**

HMI Screen Pen

Only for Mr Orange, Mr Blue, Delta 2, Delta V2, Neksia V2, Neksia, Pro-E 600, Pro-E 700



L1108P

Axing Marking

Assistant tool to provide an accurate marking of the axis on the lenses.



L14A60

Create Clip On's that Fit any Type of Frame with Your Essilor Edger



m'eye CLIP™

Available with:

- **ES 800, ES 800M, ES PRO 800 with TCB 800.**
- **Mr Blue 2.0 Sun & Sport Edition and Pro-E 700 with Mr Blue 2.0 tracer.**

Step 1: Choose Bridge

Bridge - Sunglasses Clip On - 5 pcs



Ref: **BCHEM**

Step 2: Choose Magnet

- 8 pcs
- Ø 2.5 mm for clip lens
- Ø 3.2 mm for frame lens
- Spacer Magnet for thick lenses
- Option to add a 0.7 mm thick magnet



MCHEM



SMCHEM01

Step 3: Choose Lenses (dim. W68 x H62 - 100% UV protection - 3 base-curve options)

Solid Polarized Sunlenses



Ref: **SLCHEM**

Mirrored Polarized Sunlenses



Ref: **MLCHEM**

Gradient Polarized Sunlenses



Ref: **GLCHEM**

BCHEM - Bridge for Sunglasses Clip On - 5 Pcs

	Gold	Gunmetal	Black	Bronze	Silver
26 mm	BCHEM028	BCHEM001	BCHEM021	BCHEM008	BCHEM035
28 mm	BCHEM029	BCHEM002	BCHEM022	BCHEM009	BCHEM036
30 mm	BCHEM030	BCHEM003	BCHEM023	BCHEM010	BCHEM037
32 mm	BCHEM031	BCHEM004	BCHEM024	BCHEM011	BCHEM038
34 mm	BCHEM032	BCHEM005	BCHEM025	BCHEM012	BCHEM039
36 mm	BCHEM033	BCHEM006	BCHEM026	BCHEM013	BCHEM040
38 mm	BCHEM034	BCHEM007	BCHEM027	BCHEM014	BCHEM041

SLCHEM - Solid Polarized Sunlenses - Pairs

	Grey	Brown	G-15	Yellow	Blue	Amber	Bronze	Rose
Base 2	SLCHEM01	SLCHEM04	SLCHEM07	SLCHEM10	SLCHEM13	SLCHEM16	SLCHEM19	SLCHEM22
Base 4	SLCHEM02	SLCHEM05	SLCHEM08	SLCHEM11	SLCHEM14	SLCHEM17	SLCHEM20	SLCHEM23
Base 6	SLCHEM03	SLCHEM06	SLCHEM09	SLCHEM12	SLCHEM15	SLCHEM18	SLCHEM21	SLCHEM24

MLCHEM – Mirrored Polarized Sunlenses - Pairs

	Sky Mirror Blue	Silver Mirror	Caliente	Orange	Green	Gold	Morado	Blue
Base 2	MLCHEM01	MLCHEM04	MLCHEM07	MLCHEM10	MLCHEM13	MLCHEM16	MLCHEM19	MLCHEM22
Base 4	MLCHEM02	MLCHEM05	MLCHEM08	MLCHEM11	MLCHEM14	MLCHEM17	MLCHEM20	MLCHEM23
Base 6	MLCHEM03	MLCHEM06	MLCHEM09	MLCHEM12	MLCHEM15	MLCHEM18	MLCHEM21	MLCHEM24

GLCHEM – Gradient Polarized Sunlenses - Pairs

	Medium Brown	Dark Brown	Dark Grey	Amber	Violet Rose	Rouge	Violet Grey	Crimson Grey
Base 2	GLCHEM01	GLCHEM04	GLCHEM07	GLCHEM10	GLCHEM13	GLCHEM16	GLCHEM19	GLCHEM22
Base 4	GLCHEM02	GLCHEM05	GLCHEM08	GLCHEM11	GLCHEM14	GLCHEM17	GLCHEM20	GLCHEM23
Base 6	GLCHEM03	GLCHEM06	GLCHEM09	GLCHEM12	GLCHEM15	GLCHEM18	GLCHEM21	GLCHEM24

MCHEM - Magnet for Lenses - 8 Pcs

	Silver	Gold	Gunmetal
Ø 2.5 mm	MCHEM004	MCHEM006	MCHEM002
Ø 3.2 mm	MCHEM003	MCHEM005	MCHEM001

Bushings - 100 Pcs



Ref.: **BCHEM015**

m'eye Clip Starter Kit - Up to 20 Clips



Ref: **M24K50**

Bridge

26 mm – Gunmetal – 1 pc	BCHEM001
28 mm – Gunmetal – 1 pc	BCHEM002
30 mm – Gunmetal – 2 pcs	BCHEM003
32 mm – Gunmetal – 2 pcs	BCHEM004
34 mm – Gunmetal – 2 pcs	BCHEM005
36 mm – Gunmetal – 1 pc	BCHEM006
38 mm – Gunmetal – 1 pc	BCHEM007
26 mm – Bronze – 1 pc	BCHEM008
28 mm – Bronze – 1 pc	BCHEM009
30 mm – Bronze – 2 pcs	BCHEM010
32 mm – Bronze – 2 pcs	BCHEM011
34 mm – Bronze – 2 pcs	BCHEM012
36 mm – Bronze – 1 pc	BCHEM013
38 mm – Bronze – 1 pc	BCHEM014

Mirror Lenses

Mirror Sky Blue Base 2 – x1 pair	MLCHEM01
Mirror Sky Blue Base 4 – x2 pairs	MLCHEM02
Mirror Sky Blue Base 6 - x1 pair	MLCHEM03
Mirror Silver Base 2 – x1 pair	MLCHEM04
Mirror Silver Base 4 – x2 pairs	MLCHEM05
Mirror Silver Base 6 – x1 pair	MLCHEM06

Solid Lenses

Grey Base 2 - x1 pair	SLCHEM01
Grey Base 4 - x2 pairs	SLCHEM02
Grey Base 6 - x1 pair	SLCHEM03
Brown Base 2 - x1 pair	SLCHEM04
Brown Base 4 - x2 pairs	SLCHEM05
Brown Base 6 - x1 pair	SLCHEM06
G15 Base 2 - x1 pair	SLCHEM07
G15 Base 4 - x2 pairs	SLCHEM08
G15 Base 6 - x1 pair	SLCHEM09

Magnet & Accessories

Magnet 3.2 mm Gunmetal - x20	MCHEM001
Magnet 2.5 mm Gunmetal - x20	MCHEM002
Thin black chemistrie case – x1	CCCHEM01
Glue 20g clip-on chemistrie – x1	GCHEM001

Accessories

Bushings x100	BCHEM015
Double delrin plier	TCHEM001
Magnet placement tool	TCHEM002
Reamer	TCHEM003

Thin Black Chemistrie Case



Ref.: **CCCHEM01**

Reamer



Ref.: **TCHEM003**

Magnet Placement Tool



Ref.: **TCHEM002**

Double Delrin Plier



Ref.: **TCHEM001**

Glue 20g



Ref.: **GCHEM001**

Filtration

A universal filtering system in a closed circuit, effective to minimize your water use and optimize your budget.

Neptune works in a closed circuit, with a double filtration system. During the day, filtration is carried out through sieving and decantation, ensuring that clear water is supplied to the edger. In the evening, the water is filtered again, and the container is cleaned several times to maintain a clean and safe working environment.

Edging Filtration Tank Neptune Mini

- Recommended for up to 15 frames per day.
- Filter change: after every 1200 lenses.
- Capacity: 25 liters.
- Dimensions: W350 x D500 x H690 mm.
- Electric power: 130W
- Power supply: 220 V



Ref: **NEPT01**

Edging Filtration Tank Neptune Classic

- Recommended for up to 50 frames per day.
- Filter change: after every 1500 lenses.
- Capacity: 50 liters.
- Dimensions: W550 x D500 x H685 mm.
- Electric power: 350W
- Power supply: 220V




Ref: **NEPT02**

Anti-Odor Option for Classic Neptune Filtration Tank

Ref: **NEPT20**

Edging Filtration Bag Neptune Mini



Ref.: **NEPT11**

Edging Filtration Bag Neptune Classic



Ref.: **NEPT12**

Activated Carbon Filter



Ref.: **NEPT14**

Cleaning

Essiclean Lens Ink Remover

- Remove ink marks on progressive lenses



SNE900 (1 liter)

SNE901 (250 ml)

SNE912 (Pack of 12 x 1L)

Stick'Clean

- Pen for erasing marks on lenses.
- No contact when using solvent.
- Solvent not included.



Ref: **SNE100**

Replacement Tips for Stick'Clean

- 10 replacement tips for SNE100



Ref: **SNE110**

Microfibre Cloths - Grey 32 x 36 cm - Pack of 5



Ref: **NET011**

Microfibre Cloths - White 16 x 16 cm - Pack of 50



Ref: **NET010**



3

Workshop

From precision tools to practical accessories and frame parts, everything you need to deliver eyewear at its best.

Hand Tensiscope

- Hand tensiscope for checking stress on mounted lenses.
- Dimensions: W48 x D100 x H55 mm
- Power supply: 9V battery
- Weight: 175 g



Ref: **TEN100**

PAL Micro-Etching Detector

- Easy identification of manufacturer's markings, verification of progressive lenses and power.
- Adjustable inclination for optimal reading.
- Dimensions: W135 x D155 x H270 mm
- Power supply: 90 - 250 V
- Fuse T 500 mA L250V
- Weight: 1.03 kg



Ref: **Palcheck**

Lens Stress Analyser

- Quick tension check on mounted lenses, deformation detection on organic lenses.
- Tilting head and height-adjustable stand.
- Dimensions: W135 x D155 x H167 mm
- Power supply: 120V / 60Hz or 230V / 50 Hz
- Weight: 1.0 kg



Ref: **TEN070**

Accessories: Bulb for Palcheck and Lens Stress Analyser



Ref.: **TEN075**

Optical Hand Edger MMW



- Standard version: delivered with one Finishing wheel
- Large diamond wheel Ø 150 mm
- Dimensions: W380 x D230 x H275 mm
- Power supply: 230V / 50Hz
- Weight: 16.0 kg

- **Options** on the second slot:
  - Roughing wheel (ref. **MMW901**)
  - Polishing wheel for organic lenses only (ref. **MMW903**)

Ref: **MMW001**

Polishing wheel for Plastic (25 mm)



Ref.: **MMW903**

Finishing wheel for Mineral & Plastic (25 mm)



Ref.: **MMW902**

Roughing wheel for Mineral & Plastic (25 mm)



Ref.: **MMW901**

Cleaning stone for roughing wheel Pack of 10



Ref.: **MMW10S**

Cleaning stone for finishing wheel Pack of 10



Ref.: **MMW10R**

Sponges for hand edger MMW Pack of 4



Ref.: **MMWK0001**

Diafine Standard Hand Edger

- Chamfering for mineral and organic lenses.
- 220V - 50Hz
- Dimensions: W160 x D250 x H170 mm
- 4.6 kg



Ref.: **N65803**

Diafine Poly 220V Hand Edger

- Chamfering and polishing for polycarbonate and organic bevelled lenses.
- 220V - 50Hz
- Dimensions: W160 x D250 x H170 mm
- 4.6 kg



Ref.: **N65807**

Diafine Poly 115V Hand Edger

- Chamfering and polishing for polycarbonate and organic bevelled lenses.
- 115V - 60Hz
- Dimensions: W160 x D250 x H170 mm
- 4.6 kg



Ref.: **N65806**

Automatic Lens Groover



- Organic and mineral lenses.
- Adjustable grooving position.
- 3 grooving styles: center, front curve, back curve.
- Width of groove: 0.5 mm
- Depth of groove from 0 to 0.7 mm
- Grooving time: ≈40 seconds
- Dimensions: W210 x D170 x H150 mm
- Power supply 230V / 50Hz

- **Option:** small B size adapter (Ref. **MRT930**)

Ref: **MRT700**

Diafine Specifications

- Conical diamond wheels from Ø 50 to 90 mm.
- Two 14 mm wide strips for chamfering and counter-beveling at the best possible angle.
- Retouching mini bevels with either the left hand or the right hand side of the wheel.

Sponge for Diafine Hand Edger




Ref.: **N6510G**

Sponge for Diafine Hand Edger (pack of 3)



Ref.: **GAM094**

Diafine Wheel (for Mineral & Organic lens)



Ref.: **CX3031**

Diafine Wheel (Organic & Polycarbonate lens)



Ref.: **CX3030**

Accessories for MRT700

Sponge for Manual Grooving Machine MRT700



Ref: **MRT904**

Oil for Spare Part of Manual Grooving Machine MRT700



Ref: **MRT986**

Optical Polishing Machine



- Delivered with right side wheel adapter and two conical tips.
- 2 speeds: 1400 and 2800 RPM
- Dimensions: D470 x W220 x H240 mm
- Voltage: 220V – 50 Hz
- Weight: 8 kg

- Options available: Metal protection cover and Silicon protection cover.

Ref: **TPO800**


Accessories for TPO800

Left Tool Support



TPO821

Metal Protection Cover



TPO810

Silicon Protection Cover



TPO811

Right Cone



TPO825

Left Cone



TPO826

Accessories for TPO800: Wheels & Polishing Pastes

Cotton felt wheel Ø 100 mm



TOU924

Dark blue cloth felt wheel Ø 100 mm



TOU925

Hard felt wheel Ø 100 mm



TOU929

Flannel Ø 90 mm



TOU930

Hard felt wheel Ø 102 mm



TOU932

Circular cotton yarn brush Ø 95 mm



TOU931

Usage	Wheels	Pastes
Plastic polishing	TOU924 TOU929 TOU931	TOU003
Metal polishing	TOU924 TOU929 TOU931	TOU001 TOU002
Gold burnishing	TOU930	TOU002
Plastic smooth grinding	TOU925	TOU922
Metal smooth grinding	TOU925	TOU922
Edge glazing of organic lenses	TOU925	TOU003
Edge of polycarbonate lenses	TOU932	TOU933

White polishing paste for metal



TOU001

Red polishing pastes for metal



TOU002

Yellow polishing paste for plastic



TOU003

Abrasive rubber for cleaning & polishing metal and plastics



TOU010

Polishing paste for plastic



TOU922

Polishing stick for polycarbonate



TOU933

Frame Heater 1.0



- Electronic heating regulation & hot air concentrator.
- Can be inserted into a bench.
- Two levels of temperature : 60/100 °C and 110/150 °C
- Dimensions: W200 x D144 x H213 mm
- Weight: 2.0 kg

Ref: **FHE100**

Frame Heater 2.0

- The compact design of this frame heater suits any working space.
- Temperature: ~120 °C
- Power supply 220/230 V - 50 Hz
- Dimensions: W140 x D140 x H290 mm
- Weight: 1.8 kg



Ref: **FHE200**

Frame Heater 3.0

- Electronic heating regulation for easy frame adjustments & hot air concentrator.
- Large platform allowing perfect frame heat position.
- Homogeneous temperature in the working area.
- Two temperature levels: 65/90° & 130/170° C
- Dimensions: W190 x D15 x H215 mm
- Power supply: 220/230 V - 50 Hz
  Option: 115 V - 60 Hz: **Ref. FHE310**



Ref: **FHE300**

Accessories for FHE200 Frame Heater Air Conveyor



Ref: **TEWS0002**

Accessories for FHE300 Heat Concentrator



Ref: **FHE300N**

Ultrasonic Cleaner 2L

- High-frequency waves for in-depth cleaning of delicate optics.
- Cleaning up to 3 frames simultaneously.
- Adjustable timer and digital display.



Ref: **MNU300**

Ultrasonic Cleaner 0.6L

- The MNU 100 is both very compact and quiet. It is particularly suitable for use in small retail spaces.
- Buit-in timer.



Ref: **MNU100**

Ultrasonic Cleaner 0.8L Elma

- Easy-to-use device with a clear control panel, visual and audible signals.
- Two modes: Eco (quiet and gentle) and Dynamic (for stubborn dirt).
- Automatic shut-off at 90°C or after 8 hours.



Ref: **MNU181**

Cleaning Solution for Ultrasonic Device - 1L

- To dilute 0.1% to 3%.



Ref: **MUS021**

	MNU 100	MNU 181	MNU 300
Volume	0.6 L	0.8 L	2 L
Tank	Stainless steel	Stainless steel	Stainless steel
Dimensions	210 x 150 x 140 mm	206 x 116 x 178 mm	265 x 230 x 180 mm
Weight	0.92 kg	2.0 kg	2.2 kg
Timer	3 / 5 / 10 min	Always On or adjustable 1 - 30 min	1 - 30 min
Power supply	220/240 V – 50 Hz	220/240 V – 50 Hz	220/240 V – 50 Hz
Ultrasound power	50 W	45 W	160 W

Disinfection Box for Optical Frame



- Using for cleaning frames, screwdrivers, pliers, trial frames and other everyday objects.
- LED UV-C technology
- Disinfection time of the frames: 30 seconds.
- Compatibility: Surgical masks, FFP2 FFP3, cotton.
- Capacity: 5 Frames.
- Disinfection volume: W230 x D150 x H90 mm.

Ref: **DPE004**

Staking Tools + 19 accessories



Ref: **POT001**

Accessories for POT001

Pointed Punch



POTD01

Pin Punch



POTD02

Peening Tool For Small Rivets



POTD03

Peening Tool For Large Rivets



POTD04

Single Piercing Punch Ø 1.2 mm



POTD05

Double Piercing Punch Ø 1.2 mm



POTD06

Pins Ø 1.2 mm 10 Pcs



POTD07

Single Rivet Setting Tool



POTD08

Accessories for POT001

Double Rivet Setting Tool



POTD09

Anvil Holder



POTD10

Round Hole Anvil




POTD11

Oval Hole Anvil Pack of 20



POTD12

Solid Anvil Steel



POTD13

Solid Anvil Nylon



POTD14

Single Pin Anvil



POTD15

Double Pin Anvil



POTD16

Narrow Face Anvil



POTD17

Piercing Punch Extractor



POTD19

Bench Drilling Machine

- Universal chuck with 6 jaws
- Power transmission by flat belt
- Hard-chrome steel column
- Tabletop size: 220 x 120 mm
- Dimensions: W220 x D120 x H280 mm
- 3 spindle speeds: 1800, 4700 and 8500 RPM
- Motor: 220/240 V 85 W
- Voltage: 220/240 V - 50 Hz



Ref: **PER100**

Hand Drilling Machine

- Manual drilling from 5,000 to 20,000 RPM.
- Equipped with an adjustable speed motor from 5,000 to 20,000 RPM.
- This machine comes with five high-quality steel chucks: 1.0; 1.5; 2.0; 3.0; 3.2 mm.
- Drills and millers not included.



Ref: **PER201**

Accessories for PER100

Drilling Support



PER001

Drilling Clamp



PER002

Thin Tweezers

30 g 120 mm



Ref.: **PINB01**

Cross Tweezers

30 g 160 mm



Ref.: **PINB02**

Straight Thin Tweezers

30 g 165 mm



Ref.: **PINB04**

Curved Tweezers

20 g 155 mm



Ref.: **PINB05**

Screw Holding Tweezers

20 g 130 mm



Ref.: **PINB06**

Curved Screw Holding Tweezers

20 g 155 mm



Ref.: **PINB07**

Tweezers Push-In Sleeves Removal

10 g 75 mm



Ref.: **PINB08**

Best Seller



Nose Pads Adjusting Plier

100 g 135 mm

- Jaws: 4 mm

Ref.: **PIN008**

Inclination Plier

100 g 140 mm

- Nylon jaws: 11 mm
- For adjustment of temples and end pieces



Ref.: **PIN003**

Replacement Jaws for Inclination Plier



Ref.: **PINPD3**

Temple Angling Plier

100 g 130 mm

- Nylon jaws: 11 mm
- With holes in the jaw allowing to grip the hinges



Ref.: **PIN007**

Inclination Conical Plier

100 g 140 mm

- For adjustment of pad arms, temples and end pieces
- Nylon jaws: 7 mm

Best Seller



Ref.: **PIN004**

Replacement Jaws for Inclination Conical Plier



Ref.: **PINPD4**

Flat Holding Plier

110 g 140 mm

- 2 nylon jaws of 7 mm

Best Seller



Ref.: **PIN017**

Replacement Jaws for Flat Holding Plier



Ref.: **PINP17**

Flat Nose Plier

105 g 140 mm

- Wide jaws: 4 mm

Best Seller



Ref.: **PIN009**

Curved Screw Holding Plier

100 g 150 mm



Ref.: **PIN020**

Rimless Sleeves Mounting Plier

105 g 145 mm

Best Seller



Ref.: **PIN118**

Replacement Jaws for Rimless Sleeves Mounting Plier



Ref: **PINP18B**

Round Nose Plier with Fine Tapered Jaws

110 g 150 mm

Best Seller



Ref.: **PIN013**

Half Round Long Nose Plier

90 g 150 mm

Best Seller



Ref.: **PIN016**

Rimless Sleeves Extracting Plier

110 g 140 mm

- With two notches in the jaws for an easy dismounting of plastic double sleeves



Ref.: **PIN037**

Rimless Sleeves Dismounting Plier

110 g 150 mm



Ref.: **PIN127**

Block Removing Plier

110 g 145 mm

Best Seller



Ref.: **PIN014**

Flaring Plier

120 g 150 mm

- With adjustable pin



Ref.: **PIN006**

Replacement Pin for Flaring Plier



Ref.: **PINPD6**

Size Testing Plier

100 g 140 mm

- Used to test the lens size and fit in metal frames before mounting



Ref.: **PIN015**

Forming Plier

125 g 140 mm

- 2 nylon jaws: Ø 24 mm



Ref.: **PIN002**

Replacement Jaws for Forming Plier



Ref.: **PINPD2**

Forming Plier with Blocking Notch

100 g 145 mm



Ref.: **PIN022**

Replacement Jaws for Forming Plier With Blocking Notch



Ref.: **PINP22**

Half Frame Lens Axis Plier

210 g 200 mm

- 1 fixed jaw Ø 23 mm
- 1 mobile jaw Ø 18 mm



Ref.: **PINC0001**

Lens Axis Plier

100 g 140 mm

- Ø 26 mm and Ø 32 mm



Ref.: **PIN005**

Replacement Jaws for Lens Axis Plier



Ref.: **PINPD5**

Assembly Plier

100 g 135 mm

- Metal frame closing pliers with a conical screw guide, designed to align and guide the assembly screw for easier tightening with a long-blade screwdriver



Ref.: **PIN023**

Extracting Tool for Flex Hinges

10 g 130 mm




Ref.: **PIN034**

Flex Hinges Plier

63 g 140 mm

- Opens & holds flex temples in position for assembly with a standard screw



Ref.: **PIN032**

Replacement Jaws for Flex Hinges Plier



Ref.: **PIN033**

Best Seller



Side Cutting Plier V Shape

125 g 140 mm

- Cutting capacity: half hard metals Ø 1.5 mm

Ref.: **PIN011**

Front Cutting Plier with Locking Screw

130 g 130 mm

- Screw lock to adjust the jaw openning.
- Cutting capacity: half hard metals Ø 1.4 mm



Ref.: **PIN010**

Diagonal Cutting Plier

120 g 140 mm

- Cutting capacity: half hard metals Ø 1.2 mm



Ref.: **PIN012**

Front Cutting Plier

150 g 140 mm



Ref.: **PIN025**

Best Seller



Side Cutting Plier

130 g 140 mm

Ref.: **PIN024**

Side Screw Cutting Plier

90 g 130 mm



Ref.: **PIN028**

Diagonal Flush Cutting Plier

70 g 120 mm



Ref.: **PIN029**

Pliers Stand

Available in Workshop section



Plier Grips Batch of 5 Pairs



Ref.: **PING01**

Tungsten Carbide Drills & Millers



Drills



Millers

Ø	Drills	Millers
Ø 0.8 mm	**FOR108**	
Ø 1.0 mm	**FOR110**	**FRA110**
Ø 1.1 mm	**FOR111**	**FRA111**
Ø 1.2 mm	**FOR112**	**FRA112**
Ø 1.3 mm	**FOR113**	**FRA113**
Ø 1.4 mm	**FOR114**	**FRA114**
Ø 1.5 mm	**FOR115**	**FRA115**
Ø 1.6 mm	**FOR116**	
Ø 1.7 mm	**FOR117**	
Ø 1.8 mm	**FOR118**	**FRA118**
Ø 1.9 mm	**FOR119**	
Ø 2.0 mm	**FOR120**	**FRA120**

- Reinforced shank Ø 3.175 mm
- Length: 38 mm

Drill Hole Polishing Tool Easy Drill

50 g

L125 x W25 mm

- Optimised drilling quality



FTP01

HSS Drills



Ø	Drill – 3 Pcs
Ø 0.5 mm	**FOR005**
Ø 0.6 mm	**FOR006**
Ø 0.7 mm	**FOR007**
Ø 0.8 mm	**FOR008**
Ø 0.9 mm	**FOR009**
Ø 1.0 mm	**FOR010**
Ø 1.2 mm	**FOR012**

Miller Cup - 2 Pcs

3 g 45 mm

- Ø 1.8 mm



Ref.: **FRAC18**

Miller Cup - 2 Pcs

3 g 45 mm

- Ø 2.3 mm



Ref.: **FRAC23**

Miller Conical - 2 Pcs

3 g 45 mm

- Ø 3.0 mm



Ref.: **FRAC30**

Miller Saw - 1 Pc

3 g 45 mm

- Ø 2.3 mm - thk: 0.2 mm



Ref.: **FRAS23**

Drilling Gauge

- Easy check of the drilling holes - Ø from 1 to 2.2 mm

15 g L65 x H7 mm



Ref.: **JAU002**

Cylindrical-Shank Screw Taps 3 Pcs



Ø	Drill – 3 Pcs
Ø 0.8 mm	**TAR008**
Ø 0.9 mm	**TAR009**
Ø 1.0 mm	**TAR010**
Ø 1.1 mm	**TAR011**
Ø 1.2 mm	**TAR012**
Ø 1.3 mm	**TAR013**
Ø 1.4 mm	**TAR014**
Ø 1.5 mm	**TAR015**
Ø 1.6 mm	**TAR016**
Ø 1.8 mm	**TAR018**

Flat Hand File

110 g ⋈ L290 x W3 mm



Ref.: **LIM001**

Smooth Flat Hand File

110 g ⋈ L290 x W3 mm



Ref.: **LIM002**

Half-Round Hand File

110 g ⋈ L295 x W3 mm



Ref.: **LIM003**

Half-Round Smooth Hand File

100 g ⋈ L295 x W3 mm



Ref.: **LIM004**

Round Smooth Hand File

60 g ⋈ L295 x W2.5 mm



Ref.: **LIM005**

Screw Hand File

100 g ⋈ L225 x W2.5 mm

cut N°4




Ref.: **LIM006**

Oval Hand File for Plastic & Rubber

100 g ⋈ L115 x W4.5 mm

cut N°2



Ref.: **LIM007**

Lenticular Hand File

70 g ⋈ L250 x W4 mm

cut N°1



Ref.: **LIM008**

Flat Double Hand File

60 g ⋈ L150 x W4 mm

1 side cut N°0
1 side cut N°2



Ref.: **LIM010**

Ribbed Hand File

12 g ⋈ L150 x W4 mm

cut N°2



Ref.: **LIM009**

Handle File Brush Wooden Handle

79 g ⋈ L250 mm



Ref.: **CAR001**

Round File

13 g



Ref.: **LIMA01**

Needle Files - Set of 6

5 g ⋈ L140 mm

cut N°2



- x1 Needle Flat file
- x1 Needle Half-Round file
- x1 Needle Round file
- x1 Needle Taper file
- x1 Needle Triangular file
- x1 Needle Crossing file

Ref.: **LIMA06**

Reamers Set of 3

5 g ⋈ L78 mm
Ø 1.4 mm



Ref.: **EQU001**

Needles Reamers Set of 2

5 g ⋈ L85 mm
Ø 0.5 / 0.7 mm



Ref.: **EQU003**

Reamers Set of 6

17 g ⋈ L130 x W60 mm

- Ø 1.14 / 1.40 / 1.60 / 1.75 / 1.90 / 2.01 mm



Ref.: **EQU010**

Hammer
- Wooden handle
- Nickeled head 80 mm

80 g L230 mm



Ref.: **MAR080**

Pin Vice
- Jaw of 40 mm
- Table thickness: 10 - 40 mm

800 g

L190 x W110 x H55 mm



Ref.: **ETA001**

Support with Screw Clamp

20 g L81 x W47 mm



Ref.: **MEN001**

Pointed Punch Ø 25 mm

30 g L80 mm



Ref.: **POI025**

Cup Punch Ø 2 mm Burnished Steel

30 g L80 mm



Ref.: **BOU020**

Pin Punch Ø 2 mm with Temper Pin

20 g



Ref.: **CHA010**

Bench Block Rubber Covered

45 g L75 x W25 mm



Ref.: **TOU004**

Scrapers
- 3 cutting edges, reversible and interchangeable blade.
- Replacement blade: **Ref: GRA002**

5 g L130 mm



Ref.: **GRA001**

Saw Frame
- Bocfil type: adjustable
- Black wood handle
- Polished steel

460 g L265 x W200 x H14 mm



Ref.: **SCI001**

Saw Blade - for Metal
- For metal
- Set of 12

5 g L130 mm



Ref.: **SCI013**

Saw Blade - for Plastics
- Knurled - For plastics
- Set of 12

5 g L130 mm



Ref.: **SCI014**

Tap - Broach Holder

5 g



Ref.: **ROU001**

Tap - Broach Holder
- Up to Ø 0.3 mm
- Clamp 0 - 1.6 mm

5 g L100 mm



Ref.: **ROU010**

Lens Clock

150 g L135 x W85 mm

Best Seller



Ref.: **SPH001**

Tracing Compass

- Max. aperture: Ø 75 mm

87 g L140 mm




Ref.: **COM075**

Lens Base Checking Tool

- Easy measure of the lens bases from 4 to 8.5

60 g L180 mm



Ref.: **JAU001**

Pantoscopic Angle

21 g L70 x W70 x H9 mm



Ref.: **RAP210**

Thinkness Gauge

- Aperture from 0 to 10 mm
- Arm depth 45 mm - Precision 0.5 mm

160 g L137 x W85 x H37 mm



Ref.: **COM002**

Caliper Gauge 1/50e

- Outside / inside diameter
- Depth measurement

30 g L240 x W90 mm



Ref.: **PIE001**

Metal Ruler

4 g L200 mm




Ref.: **REG200**

Digital Caliper Gauge 1/100e

- Outside / inside diameter
- Depth measurement


30 g L240 x W90 mm



Ref.: **PIE002**

Foldable Thread-Counter

- x8 graduated magnifying glass.
- Stainless steel



Ref.: **CFE000**

Mixed Set of Screwdrivers & Nutdrivers on a Rotating Stand - 9 Pcs

(Can be sold individually)

- Non-slip rotating base.
- Colour-coded & diameter-marked on each screwdriver and on the base, so tools are always in place.



	Ø		Ref.
⊖	Ø 1.6 mm	Flat blade screwdriver	**TOUP36**
⊖	Ø 1.8 mm	Flat blade screwdriver	**TOUP38**
⊕	Ø 1.5 mm	Cross blade screwdriver	**TOUC35**
⊕	Ø 1.8 mm	Cross blade screwdriver	**TOUC38**
○	Ø 2.02 mm	Hexagonal nutdriver	**ECRH02**
○	Ø 2.32 mm	Hexagonal nutdriver	**ECRH32**
○	Ø 2.57 mm	Hexagonal nutdriver	**ECRH82**
◌	Ø 2.52 mm	Star type nutdriver	**ECRE52**
◌	Ø 2.82 mm	Star type nutdriver	**ECRE82**

Ref.: **TOUA10**

Mixed Set of Screwdrivers & Nutdrivers in a Hard Case - 10 Pcs

(Can be sold individually)

- Ergonomic chrome plated handle
- Protective hard case



	Ø		Ref.
⊖	Ø 1.2 mm	Flat blade screwdriver	**TOUP10**
⊖	Ø 1.6 mm	Flat blade screwdriver	**TOUP15**
⊖	Ø 1.8 mm	Flat blade screwdriver	**TOUP18**
⊖	Ø 2.3 mm	Flat blade screwdriver	**TOUP23**
⊕	Ø 1.5 mm	Cross blade screwdriver	**TOU006**
⊕	Ø 2.0 mm	Cross blade screwdriver	**TOU007**
◌	Ø 2.2 mm	Star type nutdriver	**ECRE12**
◌	Ø 2.5 mm	Star type nutdriver	**ECRE15**
◌	Ø 2.8 mm	Star type nutdriver	**ECRE18**
○	Ø 2.2 mm	Hexagonal nutdriver	**ECRH12**

Ref.: **TOUA01**

Set of Nutdrivers on a Rotating Stand Magnetic - 8 Pcs

(Can be sold individually)




	Ø		Ref.	Spare Blade* 3 Pcs
○	Ø 2.0 mm	Hexgonal nutdriver	**ECRH40**	**ECRH40E**
○	Ø 2.2 mm	Hexgonal nutdriver	**ECRH42**	**ECRH42E**
○	Ø 2.3 mm	Hexgonal nutdriver	**ECRH43**	**ECRH43E**
○	Ø 2.6 mm	Hexgonal nutdriver	**ECRH46**	**ECRH46E**
◌	Ø 2.0 mm	4 stars nutdriver	**ECRC42**	**ECRC42E**
◌	Ø 2.1 mm	6 stars nutdriver	**ECRE41**	**ECRE41E**
◌	Ø 2.2 mm	6 stars nutdriver	**ECRE42**	**ECRE42E**
◌	Ø 2.6 mm	6 stars nutdriver	**ECRE46**	**ECRE46E**

*Not included in TOUA51 set.

Ref.: **TOUA51**

Set of Nutdrivers - 5 Pcs

(Can be sold individually)



	Ø		Ref.
○	Ø 2.2 mm	Hexgonal nutdriver	**ECRH18**
○	Ø 2.5 mm	Hexgonal nutdriver	**ECRH15**
◌	Ø 2.2 mm	Star nutdriver	**ECRE12**
◌	Ø 2.5 mm	Star nutdriver	**ECRE15**
◌	Ø 2.8 mm	Star nutdriver	**ECRE18**

Ref.: **TOU015**

Rotating Stands Universal Nutdriver



Ref.: **ECRUNI**

Set of Screwdrivers - 5 Pcs
(Can be sold individually)



	Ø		Ref.
⊖	Ø 1.0 mm	Flat blade screwdriver	**TOUP10**
⊖	Ø 1.5 mm	Flat blade screwdriver	**TOUP15**
⊖	Ø 1.8 mm	Flat blade screwdriver	**TOUP18**
⊕	Ø 1.5 mm	Cross blade screwdriver	**TOU006**
⊕	Ø 2.0 mm	Cross blade screwdriver	**TOU007**

Ref.: **TOU005**

Set of Screwdrivers on a Rotating Stand - 6 Pcs
(Can be sold individually)



	Ø		Ref.	Spare Blade* 3 Pcs
⊖	Ø 1.0 mm	Flat blade screwdriver	**TOUP41**	**TOUP41E**
⊖	Ø 1.4 mm	Flat blade screwdriver	**TOUP42**	**TOUP42E**
⊖	Ø 1.8 mm	Flat blade screwdriver	**TOUP43**	**TOUP43E**
⊖	Ø 2.3 mm	Flat blade screwdriver	**TOUP44**	**TOUP44E**
⊕	Ø 1.5 mm	Cross blade screwdriver	**TOUC41**	**TOUC41E**
⊕	Ø 2.0 mm	Cross blade screwdriver	**TOUC42**	**TOUC42E**

*Not included in TOUA50 set.

Ref.: **TOUA50**

Individual Screwdriver with Conical Shaft



	Ø		Ref.	Spare Blade 4 Pcs
⊖	Ø 1.6 mm	Flat blade screwdriver	**TOUP16**	**TOUL16**
⊖	Ø 2.0 mm	Flat blade screwdriver	**TOUP19**	**TOUL19**
⊕	Ø 1.5 mm	Cross blade screwdriver	**TOUC15**	**TOUL15**
⊕	Ø 2.0 mm	Cross blade screwdriver	**TOUC20**	**TOUL20**

Screwdriver with 6 Blades



- Screwdriver with screw chuck
- Delivered with 6 blades:
  - 1 Flat blade 1.0 mm
  - 1 Flat blade 1.5 mm
  - 1 Flat blade 2.0 mm
  - 1 Flat blade 2.5 mm
  - 1 Phillips blade 1.5 mm
  - 1 Phillips blade 2.0 mm

Ref.: **TSP00101**

Pocket Wooden Box
- With TOUP16 & TOUC20

200 g

L60 x W145 x H25 mm



Ref.: **TOUR01**

Essilor Pocket Screwdriver
- 5 heads



Ref.: **TOUC90**

Third Hand

590 g

L265 x W200 mm



Ref.: **SOU060**

Third Hand - 3 Blades Included (Blades can be sold individually)



	Ø		Ref.
⊖	Ø 1.8 mm	Flat screwdriver blade	**SOUL02**
⊕	Ø 2.0 mm	Cross screwdriver blade	**SOUL03**
◯	Ø 2.2 mm	Hexagonal nutdriver blade	**SOUC01**
		Assortment of 3 blades	**SOUL01**

Ref.: **SOU061**


Set of Nose Pads - The Essentials Push In – 20 Pairs of Each



Ref.: **SET011**

- Practical, easy-to-carry box that keeps all components organized with no risk of losing or mixing pieces.
- Any missing reference is immediately noticeable and can be reordered without confusion.
- Clear reference labels make it easy to identify and select each product individually.

Set of Nose Pads - The Essentials Screw In – 20 Pairs of Each



Ref.: **SET012**

Nose Pads - Silicone with Plastic Insert Symmetrical - 50 Pairs



	9 mm	10.5 mm
Push in	NPSS01	NPSS03
Screw in	NPSS02	NPSS04

	11 mm	13 mm	14.5 mm	16.5 mm
Push in	NPSS05	NPSS07	NPSS09	NPSS11
Screw in	NPSS06	NPSS08	NPSS10	NPSS12

	11 mm	13 mm	14.5 mm	17 mm
Push in	NPSS13	NPSS15	NPSS17	NPSS19
Screw in	NPSS14	NPSS16	NPSS18	NPSS20

Nose Pads - Silicone with Plastic Insert Symmetrical Ultra Slim - 50 Pairs



	12.5 mm
Push in	NPSS21
Screw in	NPSS22

	12.5 mm
Push in	NPSS23
Screw in	NPSS24

	15 mm
Push in	NPSS25
Screw in	NPSS26

Nose Pads - Silicone with Plastic Insert Asymmetrical - 50 Pairs



	13 mm	14.5 mm	17 mm
Push in	NPSD01	NPSD03	NPSD05
Screw in	NPSD02	NPSD04	NPSD06

Nose Pads - Silicone with Plastic Insert Symmetrical Monobloc - 10 Pairs

	13.5 mm	14 mm	16 mm
Push in		NPSA02	
Screw in	NPSA01		NPSA03

Nose Pads - Silicone with Plastic Insert Symmetrical with Air Cushion - 50 Pairs



8.5 mm	11 mm
NPSM02	NPSM01

11 mm	12.5 mm	14.5 mm
NPSM03	NPSM04	NPSM05

10.5 mm
NPSM06

Saddle Bridge Small - 5 Pcs



	W19.5 x H19 mm
Push in	NPSB01
Screw in	NPSB02

Saddle Bridge Junior - 5 Pcs



	W32 x H15 mm
Push in	NPSB03
Screw in	NPSB04

Saddle Bridge Standard - 5 Pcs



	W44 x H14 mm
Push in	NPSB05
Screw in	NPSB06

Silicone Cushions - Self Adhesive - 10 Pairs - 0.7 mm



13 mm	15 mm	17 mm	19 mm
NPC001	NPC002	NPC003	NPC004

Nose Pads - Polycarbonate - Symmetrical Ultra Slim - Long Lasting - 50 Pairs



	9 mm
Push in	NPPS25
Screw in	NPPS26



	12 mm
Push in	NPPS29
Screw in	NPPS30



	12.5 mm
Push in	NPPS27
Screw in	NPPS28



	13 mm
Push in	NPPS31
Screw in	NPPS32

Nose Pads - PVC with Plastic Insert Symmetrical - No Phthalate - 50 Pairs



	9 mm
Push in	NPPS01
Screw in	NPPS02

	12.5 mm	15 mm	17 mm
Push in	NPPS03	NPPS05	NPPS07
Screw in	NPPS04	NPPS06	NPPS08



	12.5 mm	14.5 mm
Push in	NPPS09	NPPS11
Screw in	NPPS10	NPPS12

Nose Pads - PVC with Plastic Insert Asymmetrical - No Phthalate - 50 Pairs



	13 mm	14.5 mm	16.5 mm
Push in	NPPD01	NPPD03	NPPD05
Screw in	NPPD02	NPPD04	NPPD06


Frame Parts: Nose Pads

Nose Pads - PVC - Semi-Rigid with Metal Insert (Silver) Symmetrical - 25 Pairs



	12 mm	15 mm	17 mm
Push in	**NPPS14**	**NPPS18**	**NPPS22**
Screw in	**NPPS16**	**NPPS20**	**NPPS24**

Nose Pads - PVC - Semi-Rigid with Metal Insert (Gold) Symmetrical - 25 Pairs



	12 mm	15 mm	17 mm
Push in	**NPPS13**	**NPPS17**	**NPPS21**
Screw in	**NPPS15**	**NPPS19**	**NPPS23**

Nose Pads - Type B+L - 25 Pairs PVC - Semi-Rigid with Metal Insert



- 15.5 mm
- Silver colour

Ref.: **NPPS33**

Nose Pads - Type B+L - 25 Pairs PVC - Semi-Rigid with Metal Insert



- 15.5 mm
- Gold colour

Ref.: **NPPS34**

Silicone Nose Bridge with Metal Insert - 5 Pcs - 10 Screws 14.7 mm

- Screw: head Ø2 x shank Ø1.5 x 3.1 mm



Ref.: **NBS001**


Silicone Nose Bridge with Metal Insert - 5 Pcs - 10 Screws 17.5 mm

- Screw: head Ø2 x shank Ø1.4 x 3.1 mm




Ref.: **NBS005**

Pads Arms - No Nickel - 5 Pairs




Silver	**PAM002**
Gold	**PAM001**

Pads Arms - No Nickel - 5 Pairs



Silver	**PAM004**
Gold	**PAM003**

Set of Acetate Temple Tips - 20 Pairs of Each



Ref.: **SET015**

Acetate Temple Tips - Classic Style - 5 Pairs



	Ø 1.2 mm	Ø 1.45 mm	Ø 1.6 mm
Length	65 mm	65 mm	69.5 mm
Clear	**TEDA01**	**TEDA06**	**TEDA11**
Blue	**TEDA02**	**TEDA07**	**TEDA12**
Black	**TEDA03**	**TEDA08**	**TEDA13**
Tortoise	**TEDA04**	**TEDA09**	**TEDA14**
Dark Brown	**TEDA05**	**TEDA10**	**TEDA15**

Acetate Temple Tips Modern Style - 5 Pairs



	Ø 1.6 mm
Length	65 mm
Clear	**TEDA26**
Blue	**TEDA27**
Black	**TEDA28**
Tortoise	**TEDA29**
Dark Brown	**TEDA30**

Acetate Temple Tips Thin Style - 5 Pairs




	Ø 0.9 mm
Length	69.5 mm
Black	**TEDA31**
Brown	**TEDA32**
White	**TEDA33**


Acetate Temple Tips Long Style 5 Pairs




	Ø 1.45 mm	Ø 1.2 mm
Length	135 mm	135 mm
Tortoise	**TEDA34**	**TEDA37**
Brown	**TEDA35**	**TEDA38**
Black	**TEDA36**	**TEDA39**

Silicone Non Slip Temple Ends - 25 Pairs





Black	**TEDS01**
Transparent	**TEDS02**
Blue	**TEDS03**




Black	**TEDS04**
Transparent	**TEDS05**
Blue	**TEDS06**

Spectacle Cords - 100 Pcs



Colour	Lenght	Ref.
Black	70 cm	**COR001**
Brown	70 cm	**COR002**

Screws Assortment - 100 Pcs of Each



Ref.: **SET014**

Rimless Frame Screws
Stainless Steel - 100 Pcs




	Colour				Ref.
⊖	Silver	1.8 mm	1.2 mm	15.0 mm	**SCF001**
⊖	Gold	1.8 mm	1.2 mm	15.0 mm	**SCF002**
⊕	Silver	2.5 mm	1.2 mm	10.7 mm	**SCF003**
⊕	Gold	2.5 mm	1.2 mm	10.7 mm	**SCF004**
⊖	Silver	2.5 mm	1.2 mm	12.0 mm	**SCF005**
⊖	Gold	2.5 mm	1.2 mm	12.0 mm	**SCF006**
⬣	Silver	2.5 mm	1.2 mm	12.6 mm	**SCF007**
⬣	Gold	2.5 mm	1.2 mm	12.6 mm	**SCF008**
⊖	Silver	1.8 mm	1.4 mm	15.0 mm	**SCF009**
⊖	Gold	1.8 mm	1.4 mm	15.0 mm	**SCF010**
⊖	Silver	2.5 mm	1.4 mm	12.0 mm	**SCF011**
⊖	Gold	2.5 mm	1.4 mm	12.0 mm	**SCF012**
⬣	Silver	2.5 mm	1.4 mm	12.6 mm	**SCF014**
⬣	Gold	2.5 mm	1.4 mm	12.6 mm	**SCF015**

Self Aligning Screws for Hinges
Stainless Steel - 100 Pcs



	Colour					Ref.
⊖	Silver	1.4 mm	1.0 mm	5.8 mm	2.8 mm	**SCA001**
⊖	Gold	1.4 mm	1.0 mm	5.8 mm	2.8 mm	**SCA002**
⊖	Silver	2.0 mm	1.2 mm	5.9 mm	3.5 mm	**SCA003**
⊖	Gold	2.0 mm	1.2 mm	5.9 mm	3.5 mm	**SCA004**
⊖	Gunmetal	2.0 mm	1.2 mm	5.9 mm	3.5 mm	**SCA005**
⊖	Silver	2.0 mm	1.3 mm	6.5 mm	3.5 mm	**SCA006**
⊖	Gold	2.0 mm	1.3 mm	6.5 mm	3.5 mm	**SCA007**
⊖	Silver	2.0 mm	1.4 mm	6.5 mm	3.5 mm	**SCA008**
⊖	Gold	2.0 mm	1.4 mm	6.5 mm	3.5 mm	**SCA009**
⊖	Gunmetal	2.0 mm	1.4 mm	6.5 mm	3.5 mm	**SCA010**
⊖	Silver	2.0 mm	1.4 mm	7.0 mm	4.0 mm	**SCA011**
⊖	Gold	2.0 mm	1.4 mm	7.0 mm	4.0 mm	**SCA012**
⊖	Silver	2.0 mm	1.4 mm	7.8 mm	4.8 mm	**SCA013**
⊖	Gold	2.0 mm	1.4 mm	7.8 mm	4.8 mm	**SCA014**
⊖	Silver	2.0 mm	1.5 mm	6.5 mm	3.5 mm	**SCA015**
⊖	Gold	2.0 mm	1.5 mm	6.5 mm	3.5 mm	**SCA016**
⊖	Silver	2.0 mm	1.6 mm	6.5 mm	3.5 mm	**SCA017**
⊖	Gold	2.0 mm	1.6 mm	6.5 mm	3.5 mm	**SCA018**
⊖	Silver	2.0 mm	1.4 mm	6.5 mm	2.5 mm	**SCA019**
⊖	Gold	2.0 mm	1.4 mm	6.5 mm	2.5 mm	**SCA020**
⊖	Gunmetal	2.0 mm	1.4 mm	6.5 mm	2.5 mm	**SCA021**

Self-Tapping Screws with Threadlocker
Stainless Steel - 50 Pcs




	Colour				Ref.
⊖	Silver	1.8 mm	1.3 mm	11.5 mm	**SCT001**
⊖	Gold	1.8 mm	1.3 mm	11.5 mm	**SCT002**
⊖	Silver	1.8 mm	1.4 mm	11.5 mm	**SCT003**
⊖	Gold	1.8 mm	1.4 mm	11.5 mm	**SCT004**
⊖	Silver	1.8 mm	1.5 mm	11.5 mm	**SCT005**

Hinge Screws - Stainless Steel - 100 Pcs



	Colour	↔	⌀	⟷	Ref.
⊖	Silver	1.6 mm	1.2 mm	4.8 mm	**SCH001**
⊖	Silver	1.7 mm	1.3 mm	5.3 mm	**SCH002**
⊖	Silver	2.0 mm	1.4 mm	2.7 mm	**SCH003**
⊖	Gold	2.0 mm	1.4 mm	2.7 mm	**SCH004**
⊖	Silver	1.8 mm	1.4 mm	4.2 mm	**SCH005**
⊖	Gold	1.8 mm	1.4 mm	4.2 mm	**SCH006**
⊖	Silver	1.8 mm	1.4 mm	5.0 mm	**SCH007**
⊖	Gold	1.8 mm	1.4 mm	5.0 mm	**SCH008**
⊖	Silver	2.8 mm	1.4 mm	8.6 mm	**SCH009**
⊖	Silver	2.8 mm	1.4 mm	11.4 mm	**SCH010**
⊖	Silver	1.8 mm	1.5 mm	5.0 mm	**SCH011**
⊖	Gold	1.8 mm	1.5 mm	5.0 mm	**SCH012**
⊖	Silver	2.8 mm	1.5 mm	10.0 mm	**SCH013**
⊖	Silver	1.8 mm	1.6 mm	5.2 mm	**SCH014**
⊖	Gold	1.8 mm	1.6 mm	5.2 mm	**SCH015**
⊖	Silver	2.8 mm	1.6 mm	9.0 mm	**SCH016**

Nose Pad Screws - Stainless Steel - 100 Pcs



	Colour	↔	⌀	⟷	Ref.
⊖	Silver	1.0 mm	0.8 mm	3.7 mm	**SCN001**
⊕	Silver	1.8 mm	1.0 mm	3.8 mm	**SCN002**
⊕	Gold	1.8 mm	1.0 mm	3.8 mm	**SCN003**
⊖	Silver	1.2 mm	1.0 mm	4.0 mm	**SCN004**
⊖	Silver	1.4 mm	1.0 mm	4.0 mm	**SCN005**
⊖	Gold	1.4 mm	1.0 mm	4.0 mm	**SCN006**
⊖	Gunmetal	1.4 mm	1.0 mm	4.0 mm	**SCN007**
⊖	Silver*	1.4 mm	1.0 mm	4.0 mm	**SCN008**
⊖	Silver	1.4 mm	1.0 mm	4.45 mm	**SCN009**
⊖	Silver	1.3 mm	1.1 mm	4.2 mm	**SCN010**

*With stay tight threadlock coating.

Screw Cover - Rimless Caps Transparent Plastic - 100 Pcs



			Ref.
Ø 2.5 mm	1.2 mm	3.5 mm	**SLR016**
Ø 3.0 mm	1.4 mm	3.5 mm	**SLR017**

Screws for End Pieces and Hinges - Stainless Steel - 100 Pcs



	Colour	↔	⌀	⟷	Ref.
⊖	Silver	1.6 mm	1.2 mm	3.2 mm	**SCR001**
⊖	Gold	1.6 mm	1.2 mm	3.2 mm	**SCR002**
⊖	Silver	1.6 mm	1.2 mm	4.7 mm	**SCR003**
⊖	Silver	1.8 mm	1.3 mm	7.0 mm	**SCR004**
⊖	Silver	1.8 mm	1.4 mm	3.9 mm	**SCR005**
⊖	Gold	1.8 mm	1.4 mm	3.9 mm	**SCR006**
⊖	Gunmetal	1.8 mm	1.4 mm	3.9 mm	**SCR007**
⊖	Silver	1.8 mm	1.4 mm	5.2 mm	**SCR008**
⊖	Gold	1.8 mm	1.4 mm	5.2 mm	**SCR009**
⊖	Silver	1.8 mm	1.4 mm	6.5 mm	**SCR010**
⊕	Silver	2.0 mm	1.4 mm	4.3 mm	**SCR011**
⊕	Gold	2.0 mm	1.4 mm	4.3 mm	**SCR012**
⊖	Silver	1.8 mm	1.5 mm	5.2 mm	**SCR013**

Double Sleeves - Soft Plastic - 50 Pcs



		Ref.
Crystal White	Ø 1.4 mm	**SLR004**
Transparent	Ø 1.4 mm	**SLR005**
Transparent	Ø 1.8 mm	**SLR010**

Double Sleeves - Medium Plastic - 50 Pcs




		Ref.
Transparent	Ø 1.3 mm	**SLR003**
Transparent	Ø 1.5 mm	**SLR009**

Double Sleeves - Hard Plastic - 50 Pcs



		Ref.
Transparent	Ø 1.4 mm	**SLR007**
Transparent	Ø 1.5 mm	**SLR008**
Transparent	Ø 1.6 mm	**SLR011**

3-Piece Mount Essential - Nuts, Washers and Rivets - 100 Pcs of Each



Ref.: **SET013**

Dome Nuts - 100 Pcs



	Colour		Ø	Ref.
●	Silver	2.4 mm	1.2 mm	**NRH001**
●	Gold	2.4 mm	1.2 mm	**NRH002**
●	Silver	2.4 mm	1.4 mm	**NRH003**
●	Gold	2.4 mm	1.4 mm	**NRH004**
○	Silver	2.4 mm	1.2 mm	**NRS010**
○	Gold	2.4 mm	1.2 mm	**NRS011**
○	Silver	2.4 mm	1.4 mm	**NRS012**
○	Gold	2.4 mm	1.4 mm	**NRS013**

Nuts Brass - 100 Pcs



	Colour		Ø	Ref.
○	Silver	2.5 mm	1.2 mm	**NRS001**
○	Gold	2.5 mm	1.2 mm	**NRS002**
○	Silver	2.5 mm	1.3 mm	**NRS004**
○	Silver	2.5 mm	1.4 mm	**NRS005**
○	Gold	2.5 mm	1.4 mm	**NRS006**
○	Gunmetal	2.5 mm	1.4 mm	**NRS007**
○	Silver	2.5 mm	1.5 mm	**NRS008**
○	Silver	2.5 mm	1.6 mm	**NRS009**

Rivets - Single / Double - 50 Pcs



Ø			Ref.
Ø 1.18 mm		10 mm	**SLR014** (single)
Ø 1.05 mm	2.5 mm	8.7 mm	**SLR015** (double)

Washers Brass - 100 Pcs



	Colour		Ø	Ref.
	Silver	2.5 mm	1.2 mm	**WAS001**
	Gold	2.5 mm	1.2 mm	**WAS002**
Conical Head	Silver	2.8 mm	1.2 mm	**WAS004**
	Silver	2.5 mm	1.4 mm	**WAS006**
	Gold	2.5 mm	1.4 mm	**WAS007**
Conical Head	Silver	2.8 mm	1.4 mm	**WAS009**

Washers Plastic - 100 Pcs



Colour		Ø	Ref.
Transparent	2.5 mm	1.2 mm	**WAS005**
Transparent	2.8 mm	1.4 mm	**WAS010**

Washers Plastic for Rimless Frames - 100 Pcs



Colour		Ø	Ref.
Transparent	2.8 mm	1.2 mm	**SLR001**
Transparent	2.8 mm	1.4 mm	**SLR002**

Nylon Threads

Cyrex Nylon Threads
Self Breaking Acetate Lens Interliner





	Meter	Ref.
0.25 mm	4.4 m/roll	**FDR001**
0.50 mm	2.7 m/roll	**FDR002**
0.25 mm	0.7 m/roll - Set of 5 rolls	**SFCS0001**

Nylon Threads



			Meter	Ref.
		0.55 mm	10 m/roll	**FDR003**
	1.3 mm		5 m/roll	**FDR004**
	2.0 mm		5 m/roll	**FDR005**
0.5 mm			20 m/roll	**FDR006**
0.6 mm			20 m/roll	**FDR007**
Full set (all of the above)				**FDR101**

Nylon Thread Mounting Tool



Ref.: **OFN001**

Replacement Hook - Set of 3



Ref.: **OFN010**

Job Tray - Recycled Material - 10 Pcs



- Made of 30% of wood & recycled material.
- Dimensions:
  - Outside: W175 x D250 x H55 mm
  - Inside: W165 x D234 x H52 mm
- Label holder size: 85 x 25 mm
- Colour Brown

Ref: **PEN010**

Job Tray Holder Black Metal

- Capacity: 10 jobs trays
- Can be hung on the wall.
- Dimensions: W250 x D182 x H650 mm



PENS0113

Job Tray Pop - Soft Plastic with Label Pockets - 10 Pcs

- Supplied with a reusable white label



Colour	Small Outside (WxDxH): **170 x 244 x 45 mm** Inside (WxDxH): 149 x 225 x 40 mm	Large Outside (WxDxH): **190 x 270 x 50 mm** Inside (WxDxH): 159 x 242 x 44 mm
Blue	**PEN020**	**PEN030**
Yellow	**PEN021**	**PEN031**
Pink	**PEN022**	**PEN032**
Crystal	**PEN023**	**PEN033**
Orange	**PEN024**	**PEN034**
Green	**PEN025**	**PEN035**
Purple	**PEN026**	**PEN036**

Job Tray Soft Plastic with Label Pockets - 10 Pcs


- High density polypropylene



Colour	Dim. / Ref. Outside (WxDxH): **167 x 240 x 52 mm** Inside (WxDxH): 158 x 230 x 48 mm
Purple	**PENS0101**
Orange	**PENS0102**
Blue	**PENS0103**
Crystal	**PENS0104**

Plastic Labels for Job Trays – 10 Pcs

Dim.: L69 x W22 mm



PENS0111

Job Trays Labels 100 Pcs

Dim.: L69 x W22 mm



PENS0112

Stainless Steel Pliers Stand



- Approximate capacity 8 pliers
- Length 250 mm
- Pliers not included

Ref: **GAM039**

Pliers and Screwdrivers Stand



- Length 210 mm
- Tools not included

Ref: **RAT002**

Magnetic Tool Bar



- Length 260 mm
- Tools not included

Ref: **RAT001**

Screw Storage Box

- 12 compartments
- Size: W190 x D110 x H35 mm



Ref: **BOI002**

Optical Screw Round Box

- 10 compartments



Ref: **BOI012**

Frame Parts Storage Box

- 6 drawers (delivered without compartments)
- Dimensions: W237 x D265 x H189 mm
- Polystyrene
- Available only in blue



Ref: **PENS0001**

Loctite 243 - 10 ml Threadlocker



Ref.: **COL003**

Loctite 243 - 50 ml Threadlocker



Ref.: **CX4174**

Sicomet 50 – 20 g Cyanoacrylate



Ref.: **COL010**

Loctite 454 - 5 g Instant Adhesive Gel

- Polymerization in 5 sec



Ref.: **CX4134**

G-S Hypo Cement 9 ml

- Liquid silicone / High fluidity
- Application with a needle tip



Ref.: **SIC001**

Optical Marker 1 mm



Colour	Ref.
White	**CRA002**
White - Pack of 5	**GAM205**

Permanent Marker 0.05 mm



Ref.: **CRA003**

Permanent Marker 0.4 mm



Ref.: **CRA005**

Tracer Tip Tungsten Carbide



Ref.: **POI001**

Tracer Tip Kittrass

- Holder + 2 tips Kitrass



Ref.: **POI003**

Blades for Kittrass

- Spare blade Kitrass - 10 pcs



Ref.: **POI004**

PVC Bottle with Screwed Cap - 250 ml



Ref: **MUS004**

Accessories for MUS004

Straight Jet Cap



MUS011

Sprayer Cap



MUS012

Spray Cap



MUS013

Bleaching Agent - 1L

- For tinting organic lenses



Ref.: **COL200**

Extra Absorbent Towels – Low Lint

- **1 pack** x 56 pcs
- 30.5 x 31.8 cm




Ref.: **PAP001**

Extra Absorbent Towels – Low Lint

- **18 packs** x 56 pcs
- 30.5 x 31.8 cm



Ref.: **PAP018**



4

Appendix

Spare Trial Lenses

Spare trial lenses for ESS260 & ESS167

Convex Sph.



+0.25D	**ESS639**	+3.00D	**ESS650**
+0.50D	**ESS640**	+3.25D	**ESS651**
+0.75D	**ESS641**	+3.50D	**ESS652**
+1.00D	**ESS642**	+3.75D	**ESS653**
+1.25D	**ESS643**	+4.00D	**ESS654**
+1.50D	**ESS644**	+4.25D	**ESS655**
+1.75D	**ESS645**	+4.75D	**ESS657**
+2.00D	**ESS646**	+5.00D	**ESS658**
+2.25D	**ESS647**	+6.00D	**ESS662**
+2.50D	**ESS648**	+6.50D	**ESS663**
+2.75D	**ESS649**		

Concave Sph.



-0.25D	**ESS600**	-2.75D	**ESS610**
-0.50D	**ESS601**	-3.00D	**ESS611**
-0.75D	**ESS602**	-3.25D	**ESS612**
-1.00D	**ESS603**	-3.50D	**ESS613**
-1.25D	**ESS604**	-4.00D	**ESS615**
-1.50D	**ESS605**	-4.25D	**ESS616**
-1.75D	**ESS606**	-4.50D	**ESS617**
-2.00D	**ESS607**	-4.75D	**ESS618**
-2.25D	**ESS608**	-6.00D	**ESS621**
-2.50D	**ESS609**	-6.50D	**ESS623**

Cylinder (+)



+0.25D	**ESS678**	+0.75D	**ESS680**
+0.50D	**ESS679**	+1.25D	**ESS682**

Cylinder (-)



-0.25D	**ESS698**	-2.25D	**ESS706**
-0.50D	**ESS699**	-2.50D	**ESS707**
-0.75D	**ESS700**	-2.75D	**ESS708**
-1.00D	**ESS701**	-3.00D	**ESS709**
-1.25D	**ESS702**	-3.50D	**ESS711**
-1.50D	**ESS703**	-4.00D	**ESS713**
-1.75D	**ESS704**		

Prism



0.50D	**ESS718**
1D	**ESS719**
2D	**ESS720**
3D	**ESS721**
4D	**ESS722**
5D	**ESS723**
6D	**ESS724**
8D	**ESS725**
+10D	**ESS726**

Accessories

Maddox	**ESS727**
Cross	**ESS728**
Pinhole occluder	**ESS729**
Ocular cover	**ESS730**
Red filter	**ESS732**
Green filter	**ESS733**
Flat plane lens	**ESS735**

Pair of Polarized Filter



Ref.: **ESS170**

Spare trial lenses for ESS026

Convex Sph.



+0.25D	**ESSS0141**	+5.00D	**ESSS0059**
+0.50D	**ESSS0041**	+5.25D	**ESSS0060**
+0.75D	**ESSS0042**	+5.50D	**ESSS0061**
+1.00D	**ESSS0043**	+5.75D	**ESSS0062**
+1.25D	**ESSS0044**	+6.00D	**ESSS0063**
+1.50D	**ESSS0045**	+6.50D	**ESSS0064**
+1.75D	**ESSS0046**	+7.00D	**ESSS0065**
+2.00D	**ESSS0047**	+7.50D	**ESSS0066**
+2.25D	**ESSS0048**	+8.00D	**ESSS0067**
+2.50D	**ESSS0049**	+8.50D	**ESSS0068**
+2.75D	**ESSS0050**	+9.00D	**ESSS0069**
+3.00D	**ESSS0051**	+9.50D	**ESSS0070**
+3.25D	**ESSS0052**	+10.00D	**ESSS0071**
+3.50D	**ESSS0053**	+11.00D	**ESSS0072**
+3.75D	**ESSS0054**	+12.00D	**ESSS0073**
+4.00D	**ESSS0055**	+13.00D	**ESSS0074**
+4.25D	**ESSS0056**	+14.00D	**ESSS0075**
+4.50D	**ESSS0057**	+16.00D	**ESSS0076**
+4.75D	**ESSS0058**	+18.00D	**ESSS0077**
		+20.00D	**ESSS0078**

Concave Sph.



-0.25D	**ESSS0140**	-5.00D	**ESSS0021**
-0.50D	**ESSS0005**	-5.25D	**ESSS0022**
-0.75D	**ESSS0006**	-5.50D	**ESSS0023**
-1.00D	**ESSS0007**	-5.75D	**ESSS0024**
-1.25D	**ESSS0002**	-6.00D	**ESSS0025**
-1.50D	**ESSS0008**	-6.50D	**ESSS0026**
-1.75D	**ESSS0009**	-7.00D	**ESSS0027**
-2.00D	**ESSS0010**	-7.50D	**ESSS0028**
-2.25D	**ESSS0011**	-8.00D	**ESSS0029**
-2.50D	**ESSS0012**	-8.50D	**ESSS0030**
-2.75D	**ESSS0013**	-9.00D	**ESSS0031**
-3.00D	**ESSS0004**	-9.50D	**ESSS0032**
-3.25D	**ESSS0014**	-10.00D	**ESSS0033**
-3.50D	**ESSS0015**	-11.00D	**ESSS0034**
-3.75D	**ESSS0016**	-12.00D	**ESSS0035**
-4.00D	**ESSS0017**	-13.00D	**ESSS0036**
-4.25D	**ESSS0018**	-14.00D	**ESSS0037**
-4.50D	**ESSS0019**	-16.00D	**ESSS0038**
-4.75D	**ESSS0020**	-18.00D	**ESSS0039**
		-20.00D	**ESSS0040**

Cylinder (+)



+0.25D	**ESSS0099**	+2.75D	**ESSS0109**
+0.50D	**ESSS0100**	+3.00D	**ESSS0110**
+0.75D	**ESSS0101**	+3.25D	**ESSS0111**
+1.00D	**ESSS0102**	+3.50D	**ESSS0112**
+1.25D	**ESSS0103**	+3.75D	**ESSS0113**
+1.50D	**ESSS0104**	+4.00D	**ESSS0114**
+1.75D	**ESSS0105**	+4.50D	**ESSS0115**
+2.00D	**ESSS0106**	+5.00D	**ESSS0116**
+2.25D	**ESSS0107**	+5.50D	**ESSS0117**
+2.50D	**ESSS0108**	+6.00D	**ESSS0118**

Cylinder (-)



-0.25D	**ESSS0079**	-2.75D	**ESSS0089**
-0.50D	**ESSS0080**	-3.00D	**ESSS0090**
-0.75D	**ESSS0081**	-3.25D	**ESSS0091**
-1.00D	**ESSS0082**	-3.50D	**ESSS0092**
-1.25D	**ESSS0083**	-3.75D	**ESSS0093**
-1.50D	**ESSS0084**	-4.00D	**ESSS0094**
-1.75D	**ESSS0085**	-4.50D	**ESSS0095**
-2.00D	**ESSS0086**	-5.00D	**ESSS0096**
-2.25D	**ESSS0087**	-5.50D	**ESSS0097**
-2.50D	**ESSS0088**	-6.00D	**ESSS0098**

Prism



0.5D	**ESSS0119**
1D	**ESSS0120**
2D	**ESSS0122**
3D	**ESSS0123**
4D	**ESSS0124**
5D	**ESSS0125**
6D	**ESSS0126**
8D	**ESSS0127**
+10D	**ESSS0128**

Accessories

Occluder	**ESSS0128**
Pinhole (PH1.5)	**ESSS0129**
Pinhole (PH1.0)	**ESSS0130**
Slit (SS1.0)	**ESSS0131**
Red filter	**ESSS0132**
Green filter lens	**ESSS0133**
White maddox	**ESSS0134**
Plane lens	**ESSS0135**
Frosted lens	**ESSS0136**
Crossed line	**ESSS0137**
Cross cylinder 0.25	**ESSS0138**

Supports for Applanation Tonometers

Essilor Slit Lamps - Supports - Applanation Tonometers compatibility

Essilor Slit Lamp / Tonometer	DAT500R (R-Type)	DAT500Z (Z-Type)	DAT500T (Take-away)
SL300 (starting with serial number 0921755)		**SLES0052**	
SL300		**SL3TMZ**	
SL350 (starting with serial number 0921755)	**SLES0044**		
SL350	**SL209**		**SLE719**
SL400 (starting with serial number 0921755)		**SLES0052**	
SL400		**SL3TMZ**	
SL450 (starting with serial number 0921755)	**SLES0044**		
SL500		**SL3TMZ**	
SL550	**SL5TMR**		**SLE719**
SL650	**SLES0044**		
SL650+	**SLES0044**		

Accessories

Accessories for edger

Type	Description	Ref.
Evacuation		
	Water feeding hose (1m) for all Essilor edger	**CS3017**
Connectors		
	Power cord (2m) for all Essilor edger: - Plug Outlet - Type C, E & F - Inlet - IEC C13 - Almost always 220 - 240 V	**CA6320**
	Power cord US (2m) for all Essilor edger	**N66R43**
	Crossed ethernet cable (5m) for all Essilor edger	**CA6322**
Bulb		
	Edger bulb for Delta, Kappa, Gamma	**CA5072**
	Edger bulb for Mr Orange, Mr Blue, PRO-E 600/700, ES 700/800	**M24R06**
Time-lag fuse		
	Time-lag fuse 4A 5x20 mm: - Mr Orange, Mr Blue - ES 700/800, ES PRO 700/800, PRO-E 600/700 - DELTA v2 100/200/300 - NEKSIA v2 400/500/600	**CA1035**
	Time-lag fuse 4A 6.3x42: - DELTA v2 100/200/300 - NEKSIA v2 400/500 /600	**CA2068**

Accessories for tinting

Type	Description	Ref.
Tinting		
	Metal Lens Holder - 2 Pcs Spare part of lens coloring TIN700	**TIN010**
	Plastics Lens Holder - 2 Pcs Spare part of lens coloring TIN700	**TIN012**
	Pot with curved handle	**TIN021**



Wheels

Spare wheels for edger

Polishing




				
	15mm Plastic	15mm Plastic	15mm Plastic	22mm Plastic
	CX3028	**CX3060**	**CX3060B**	**CX3061**
ES PRO 800			⊙	
ES PRO 700			⊙	
ES 800 / ES 700		⊙		
Delta 100, 200, 300 / Delta v2 Neksia 400, 500, 600 / Neksia v2		Depending versions		Depending versions
PRO-E 700			⊙	
PRO-E 600			⊙	
Mr Orange / Mr Blue		Depending versions		Depending versions
Delta Gamma Kappa	⊙	Depending versions		Depending versions

Roughing

							
	15mm Mineral	22mm Plastic	15mm Plastic	15mm Plastic	15mm Plastic	15mm Plastic	22mm Plastic
	CX3006	**CX3025**	**CX3026**	**CX3026B**	**CX3034**	**CX3070**	**CX3069**
ES PRO 800					⊙		
ES PRO 700					⊙		
ES 800 / ES 700	⊙	Depending versions				⊙	
Delta v2 100, 200, 300 Neksia v2 400, 500, 600	⊙	Depending versions				⊙	
PRO-E 700				⊙			
PRO-E 600				⊙			
Mr Orange / Mr Blue	⊙	Depending versions	⊙				
Delta Gamma Kappa	⊙		⊙				⊙

Spare wheels for edger

Finishing

					
	Super chamfer	22mm Plastic	19mm Plastic	Asymmetric bevel	Asymmetric bevel
	CX3014B	**CX3020**	**CX3021**	**CX3071B**	**CX3074**
ES PRO 800	⊙				
ES PRO 700				⊙	
ES 800 / ES 700			Depending versions		
Delta v2 100, 200, 300 Neksia v2 400, 500, 600			Depending versions		
PRO-E 700	⊙				
PRO-E 600				⊙	
Mr Orange / Mr Blue			Depending versions		
Delta 100, 200, 300 Neksia 400, 500, 600			Depending versions		Depending versions ONLY NEKSIA 550 650
Delta Gamma Kappa	⊙				

For information only.

Contact your technical business support for assistance.

MeyeStore-Catalog-EN-V2-Oct2026

As improvements are made, these specifications are not contractually binding and may be modified without prior notice. Please read the user manual attentively.

ESSILOR INTERNATIONAL
147 rue de Paris
94220 Charenton-le-Pont, France

Tel.: +33 (0)1 49 80 62 80
www.essilor-instruments.com
© Essilor International – October 2026

ESSILOR INSTRUMENTS